

GAP

Release 4.3
06 May 2002

Index

The GAP Group

<http://www.gap-system.org>

Full Index

This index covers the five main books of the GAP manual, pages are given with respect to each manual: **Ref**, **Tut**, **Prg**, **New**, and **Ext**. A page number in *italics* refers to a whole section which is devoted to the indexed subject. Keywords are sorted with case and spaces ignored, e.g., “`PermutationCharacter`” comes before “permutation group”.

(Near-)Additive Magma Categories, *R 539*
(Near-)Additive Magma Generation, *R 540*
+, *R 48*
-, *R 48*
-A, *R 30*
-B, *R 31*
-C, *R 31*
-D, *R 31*
-K, *R 29*
-L, *R 30*
-M, *R 31*
-N, *R 31*
-O, *R 31*
-P, *R 31*
 on Macintosh, *R 32*
-R, *R 30*
-T, *R 31*
-U, *R 31*
-W, *R 31*
 on Macintosh, *R 32*
-X, *R 31*
-Y, *R 31*
-a, *R 30*
 on Macintosh, *R 32*
-b, *R 28*
-e, *R 28*
 on Macintosh, *R 32*
-f, *R 28*
 on Macintosh, *R 32*
-g, *R 29*
-g -g, *R 29*
-h, *R 28*
-i, *R 31*
-l, *R 29*
-m, *R 29*
-n, *R 28*
 on Macintosh, *R 32*
-o, *R 29*
 on Macintosh, *R 32*
-q, *R 28*
-r, *R 30*
-x, *R 28*
-y, *R 29*
-z, *R 31*
 on Macintosh, *R 32*
., *E 17*
.gaprc, *R 34*
/, *R 48*
 for character tables, *R 698*
%, *E 25*
%display, *E 26*
%enddisplay, *E 26*
*, *R 48*
 for character tables, *R 698*
\', *R 242*
\., *E 17*
\>, *E 17*
\Appendices, *E 14*
\BeginningOfBook, *E 13*
\Bibliography, *E 14*
\C, *E 21*
\Chapter, *E 15*
\Chapters, *E 12*
\Colophon, *E 12*
\Day, *E 15*
\Declaration, *E 28*
\EndOfBook, *E 14*
\F, *E 21*
\FileHeader, *E 28*
\FrontMatter, *E 12*
\Index, *E 12*
\Mailto, *E 17*
\Month, *E 15*
\N, *E 21*

- `\OneColumnTableOfContents`, E 13
 - `\Package`, E 17
 - `\PseudoInput`, E 15
 - `\Q`, E 21
 - `\R`, E 21
 - `\Section`, E 15
 - `\TableOfContents`, E 13
 - `\TitlePage`, E 12
 - `\Today`, E 15
 - `\URL`, E 17
 - `\UseGapDocReferences`, E 13
 - `\UseReferences`, E 12
 - `\XYZ`, R 242
 - `\Year`, E 15
 - `\Z`, E 21
 - `\"`, R 242
 - `\,`, R 242
 - `\accent127`, E 17
 - `\atindex`, E 17
 - `\b`, R 242
 - `\beginexample`, E 23
 - indicating unstable output, E 23
 - `\beginitems`, E 21
 - `\beginlist`, E 22
 - `\begintt`, E 23
 - `\c`, R 242
 - `\calR`, E 21
 - `\endexample`, E 23
 - `\enditems`, E 21
 - `\endlist`, E 22
 - `\endtt`, E 23
 - `\fmark`, E 17
 - `\in`, operation for testing membership, R 264
 - `\index`, E 17
 - `\indextt`, E 17
 - `\item`, E 22
 - `\itemitem`, E 22
 - `\kernttindent`, E 17
 - `\lq`, E 17
 - `\matrix`, E 24
 - `\n`, R 242
 - `\nolabel`, use in index and label suppression, E 16
 - `\null`, use in index suppression, E 16
 - `\package`, E 12
 - `\pif`, E 17
 - `\r`, R 242
 - `\rq`, E 17
 - `ˆ`, R 48
 - for class functions, R 740
 - 1-Cohomology, R 363
 - 2-Cohomology and Extensions, R 441
 - 4.2BSD, R 800
 - 4.3BSD, R 800
- ## A
- A, Attribute mark-up, E 17
 - AbelianGroup, R 493
 - AbelianInvariants, for character tables, R 701
 - for groups, R 352
 - Abelian Invariants for Subgroups, R 461
 - AbelianInvariantsMultiplier, R 366
 - AbelianInvariantsNormalClosureFpGroup, R 461
 - AbelianInvariantsNormalClosureFpGroupRrs, R 461
 - AbelianInvariantsSubgroupFpGroup, R 461
 - AbelianInvariantsSubgroupFpGroupMtc, R 461
 - AbelianInvariantsSubgroupFpGroupRrs, R 461
 - AbelianNumberField, R 570
 - abelian number field, R 570
 - abelian number fields, Galois group, R 571
 - AbelianSubfactorAction, R 388
 - About Functions, T 24
 - About Group Actions, R 380
 - AbsInt, R 126
 - AbsoluteValue, R 155
 - absolute value of an integer, R 126
 - abstract word, R 314
 - AbstractWordTietzeWord, R 470
 - accessing, list elements, R 170
 - record elements, R 251
 - Accessing a Module, R 665
 - Accessing Record Elements, R 251
 - Accessing Subgroups via Tables of Marks, R 685
 - Accessing Weak Pointer Objects as Lists, E 54
 - Acknowledgements, T 13
 - AClosestVectorCombinationsMatFFFEVecFFE, R 212
 - ActingAlgebra, R 608
 - ActingDomain, R 392
 - Acting OnRight and OnLeft, R 418
 - Action, R 386
 - action, by conjugation, R 381
 - on blocks, R 381
 - on sets, R 381
 - ActionHomomorphism, R 386
 - Action of a group on itself, R 387

- Action on Subfactors Defined by a Pcgs, *R 432*
- actions, *R 381*
- Actions of Groups, *T 47*
- Actions of Matrix Groups, *R 415*
- ActorOfExternalSet, *R 394*
- Add, *R 173*
- add, an element to a set, *R 191*
- AddCoeffs, *R 211*
- AddGenerator, *R 472*
- AddGenerators, *R 333*
- AddGeneratorsExtendSchreierTree, *R 411*
- AddHashEntry, *N 11*
- Adding a new Attribute, *P 35*
- Adding a new Operation, *P 34*
- Adding a new Representation, *P 35*
- Adding new Concepts, *P 37*
- addition, *R 48*
 - list and non-list, *R 181*
 - matrices, *R 216*
 - matrix and scalar, *R 216*
 - operation, *R 285*
 - rational functions, *R 644*
 - scalar and matrix, *R 216*
 - scalar and matrix list, *R 217*
 - scalar and vector, *R 209*
 - vector and scalar, *R 209*
 - vectors, *R 208*
- Addition of a Method, *P 32*
- Additive Arithmetic for Lists, *R 180*
- AdditiveInverse, *R 283*
- AdditiveInverseAttr, *R 283*
- AdditiveInverseImmutable, *R 283*
- AdditiveInverseMutable, *R 283*
- AdditiveInverseOp, *R 283*
- AdditiveInverseSameMutability, *R 283*
- AdditiveInverseSM, *R 283*
- AdditiveNeutralElement, *R 541*
- AddRelator, *R 472*
- AddRowVector, *R 211*
- AddRule, *R 333*
- AddRuleReduced, *R 333*
- AddSet, *R 191*
- AdjointAssociativeAlgebra, *R 625*
- AdjointBasis, *R 598*
- AdjointMatrix, *R 625*
- AdjointModule, *R 610*
- administrator, *R 820*
- Advanced Features of GAP, *R 30*
- Advanced List Manipulations, *R 199*
- Advanced Methods for Dixon-Schneider Calculations, *R 718*
- AffineAction, *R 433*
- AffineActionLayer, *R 433*
- AffineOperation, *R 433*
- AffineOperationLayer, *R 433*
- A First Attempt to Implement Elements of Residue Class Rings, *P 42*
- Agemo, *R 349*
- AgGroup, *T 78*
- Algebra, *R 589*
- AlgebraByStructureConstants, *R 592*
- AlgebraGeneralMappingByImages, *R 602*
- AlgebraHomomorphismByImages, *R 603*
- AlgebraHomomorphismByImagesNC, *R 603*
- AlgebraicExtension, *R 660*
- Algebraic Structure, *T 68*
- Algebras, *T 61*
- AlgebraWithOne, *R 589*
- AlgebraWithOneGeneralMappingByImages, *R 603*
- AlgebraWithOneHomomorphismByImages, *R 604*
- AlgebraWithOneHomomorphismByImagesNC, *R 604*
- AllBlocks, *R 391*
- AllIrreducibleSolvableGroups, *R 510*
- AllLibraryGroups, *R 499*
- ALLPKG, *E 36*, *R 822*
- AllPrimitiveGroups, *R 499*
- AllSmallGroups, *R 502*
- AllTransitiveGroups, *R 499*
- Alpha, *R 790*
- AlternatingGroup, *R 493*
- and, *R 166*
 - for filters, *R 167*
- An Example of Advanced Dixon-Schneider Calculations, *R 719*
- An Example of a GAP Package, *E 37*
- ANFAutomorphism, *R 571*
- AntiSymmetricParts, *R 757*
- antisymmetric relation, *R 304*
- Append, *R 173*
- AppendTo, *R 94*
 - for streams, *R 100*
- Apple, *R 811*
- ApplicableMethod, *R 78*, *T 75*
- ApplicableMethod, *R 78*
- Applicable Methods and Method Selection, *P 13*
- ApplicableMethodTypes, *R 78*

- Apply, R 194
- ApplyFunc, T 78
- ApplySimpleReflection, R 622
- ApproximateSuborbitsStabilizerPermGroup, R 409
- ARCH_IS_MAC, R 814
- ARCH_IS_UNIX, R 814
- ARCH_IS_WINDOWS, R 814
- arg, special function argument, R 56
- ArithmeticElementCreator, P 39
- Arithmetic for External Representations of Polynomials, R 658
- Arithmetic for Lists, R 178
- Arithmetic Issues in the Implementation of New Kinds of Lists, P 25
- Arithmetic Operations for Class Functions, R 738
- Arithmetic Operations for Elements, R 284
- Arithmetic Operations for General Mappings, R 297
- Arithmetic Operators, R 48
- Arrangements, R 145
- arrow notation for functions, R 57
- AsAlgebra, R 598
- AsAlgebraWithOne, R 599
- AsBinaryRelationOnPoints, R 305
- AsBlockMatrix, R 230
- AscendingChain, R 355
- AsDivisionRing, R 560
- AsDuplicateFreeList, R 193
- A Second Attempt to Implement Elements of Residue Class Rings, P 43
- AsField, R 560
- AsFreeLeftModule, R 557
- AsGroup, R 336
- AsGroupGeneralMappingByImages, R 369
- AsLeftIdeal, R 547
- AsLeftModule, R 555
- AsList, R 259
- AsMagma, R 309
- AsMonoid, R 527
- AsPolynomial, R 646
- AsRightIdeal, R 547
- AsRing, R 544
- AsSemigroup, R 520
- Assert, R 81
- AssertionLevel, R 81
- Assertions, R 81
- AsSet, R 260
- AssignGeneratorVariables, R 321
- assignment, T 22
 - to a list, R 171
 - to a record, R 252
 - variable, R 49
- Assignments, R 49
- AssignNiceMonomorphismAutomorphismGroup, R 376
- AssociatedPartition, R 150
- AssociatedReesMatrixSemigroupOfDClass, R 526
- Associates, R 550
- associativity, R 48
- AssocWordByLetterRep, R 326
- AsSomething, T 70
- AsSortedList, R 260
- AsSSortedList, R 260
- AsStruct, R 277
- AsSubalgebra, R 599
- AsSubalgebraWithOne, R 599
- AsSubgroup, R 337
- AsSubgroupOfWholeGroupByQuotient, R 459
- AsSubmagma, R 309
- AsSubmonoid, R 527
- AsSubsemigroup, R 520
- AsSubspace, R 574
- AsSubstruct, R 280
- AsTransformation, R 537
- AsTransformationNC, R 537
- AsTwoSidedIdeal, R 547
- AsVectorSpace, R 573
- at exit functions, R 72
- ATLAS Irrationalities, R 157
- AtlasIrrationality, R 159
- atomic irrationalities, R 157
- Attributes, R 120, T 72
- Attributes and Operations for Algebras, R 597
- Attributes and Properties for (Near-)Additive Magmas, R 541
- Attributes and Properties for Collections, R 261
- Attributes and Properties for Magmas, R 311
- Attributes and Properties for Matrix Groups, R 414
- Attributes and Properties of Character Tables, R 699
- Attributes and Properties of Elements, R 281
- Attributes of and Operations on Equivalence Relations, R 306
- Attributes of Tables of Marks, R 675
- Attributes vs. Record Components, T 80
- AttributeValueNotSet, R 121

AugmentationIdeal, R 637
 AugmentedCosetTableInWholeGroup, R 454
 AugmentedCosetTableMtc, R 454
 AugmentedCosetTableRrs, R 454
 Augmented Coset Tables and Rewriting, *R 454*
 Authorship and Maintenance, *T 12*
 AUTOLOAD_PACKAGES, R 822
 automatic loading of gap packages, R 821
 AutomorphismDomain, R 375
 AutomorphismGroup, R 375
 for groups with pcgs, R 434
 automorphism group, of number fields, R 571
 Automorphisms and Equivalence of Character
 Tables, *R 726*
 AutomorphismsOfTable, R 702

B

b_N , R 157
 backslash character, R 242
 backspace character, R 242
 Backtrace, T 85
 GAP3 name for Where, R 70
 Backtrack, *R 411*
 BaseFixedSpace, R 223
 BaseMat, R 225
 BaseMatDestructive, R 225
 BaseOfGroup, N 21, R 408
 BaseOrthogonalSpaceMat, R 225
 BasePointOfSchreierTransversal, N 17
 Bases of Vector Spaces, *R 575*
 BaseStabChain, R 408
 BaseSteinitzVectors, R 226
 Basic Actions, *R 381*
 Basic Groups, *R 492*
 Basic Operations for Class Functions, *R 737*
 Basic Operations for Lists, *R 169*
 BasicWreathProductOrdering, R 273
 Basis, R 576
 BasisNC, R 576
 BasisVectors, R 577
 Bell, R 143
 Bernoulli, R 144
 BestQuoInt, R 128
 BestSplittingMatrix, R 718
 BiAlgebraModule, R 607
 BiAlgebraModuleByGenerators, R 606
 bibtex, E 27
 BilinearFormMat, R 620
 binary relation, R 303
 BinaryRelationByElements, R 303
 BinaryRelationOnPoints, R 304
 BinaryRelationOnPointsNC, R 304
 Binary Relations on Points, *R 304*
 BinaryRelationTransformation, R 538
 BindGlobal, P 29, R 45
 Binomial, R 143
 blank, R 40
 BlistList, R 204
 Block Matrices, *R 230*
 BlockMatrix, R 230
 Blocks, R 390
 BlocksInfo, R 707
 Block Systems, *R 390*
 BlownUpMat, R 227
 BlownUpVector, R 227
 BlowUpIsomorphism, R 415
 BNF, R 58
 body, R 55
 BombieriNorm, R 651
 Boolean Lists Representing Subsets, *R 204*
 bound, R 42
 Brauer character, R 744
 BrauerCharacterValue, R 767
 BrauerTable, R 693
 BrauerTableOp, R 693
 BravaisGroup, R 418
 BravaisSubgroups, R 418
 BravaisSupergroups, R 418
 Break, *R 54*
 break loop message, R 69
 Break Loops, *R 67*
 break loops, T 20
 break statement, R 54
 browsing backwards, R 23
 browsing backwards one chapter, R 23
 browsing forward, R 23
 browsing forward one chapter, R 23
 browsing the next section browsed, R 23
 browsing the previous section browsed, R 23
 Browsing through the Sections, *R 23*
 BSD, R 800
 bug reports, see If Things Go Wrong, R 818
 Building new orderings, *R 269*
 buildman.pe, E 28

C

- C, Category mark-up, E 17
- c_N , R 157
- Calculating with Group Automorphisms, R 376
- Calendar Arithmetic, R 248
- CallFuncList, R 61
- Calling a function with a list argument that is interpreted as several arguments, R 61
- Calling of and Communication with External Binaries, E 39
- Cancellation Tests for Rational Functions, R 658
- CanComputeIndex, R 367
- CanComputeIsSubset, R 367
- CanComputeSize, R 366
- CanComputeSizeAnySubgroup, R 367
- candidates, for permutation characters, R 762
- CanEasilyCompareElements, R 284
- CanEasilyCompareElementsFamily, R 284
- CanEasilyComputePcgs, R 421
- CanEasilySortElements, R 284
- CanEasilySortElementsFamily, R 284
- CanEasilyTestMembership, R 366
- CanonicalBasis, R 576
- canonical basis, for matrix spaces, R 583
 - for row spaces, R 583
- CanonicalElt, N 15
- CanonicalGenerators, R 620
- CanonicalPcElement, R 423
- CanonicalPcgs, R 426
- CanonicalPcgsByGeneratorsWithImages, R 428
- CanonicalRepresentativeDeterminatorOf-ExternalSet, R 393
- CanonicalRepresentativeOfExternalSet, R 393
- CanonicalRightCosetElement, R 341
- Carmichael's lambda function, R 134
- carriage return character, R 242
- CartanMatrix, R 620
- CartanSubalgebra, R 617
- Cartesian, R 195
- CAS, R 728
- CAS format, R 728
- CASString, R 728
- CAS tables, R 728
- Categories, R 117
- Categories and Properties of Algebras, R 596
- Categories for Streams and the StreamsFamily, R 96
- Categories of Associative Words, R 319
- Categories of Matrices, R 215
- CategoriesOfObject, R 119
- Categories of Words and Nonassociative Words, R 314
- CategoryCollections, P 17, R 257
- CategoryFamily, P 17
- Catering for Plain Text and HTML Formats, E 26
- Center, R 312
- center, R 311
- CentralCharacter, R 747
- central character, R 747
- CentralIdempotentsOfAlgebra, R 601
- centraliser, R 311
- Centralizer, R 311
 - for groups with pcgs, R 434
- CentralizerInGLnZ, R 418
- CentralizerModulo, R 356
- CentralizerSizeLimitConsiderFunction, R 435
- Centre, R 312
 - for groups with pcgs, R 434
- centre, of a character, R 746
- CentreOfCharacter, R 746
- ChainHomomorphicImage, N 21
- ChainStatistics, N 21
- ChainSubgroup, N 20
- ChainSubgroupByDirectProduct, N 22
- ChainSubgroupByHomomorphism, N 21
- ChainSubgroupByProjectionFunction, N 21
- ChainSubgroupByPSubgroupOfAbelian, N 22
- ChainSubgroupBySiftFunction, N 22
- ChainSubgroupByStabiliser, N 21
- ChainSubgroupByTrivialSubgroup, N 22
- ChainSubgroupQuotient, N 22
- ChangedBaseGroup, N 21
- Changed Command Line Options, T 77
- Changed Functionality, T 77
- Changed Variable Names, T 78
- Changes from Earlier Versions, T 13
- ChangeStabChain, R 410
- Changing Presentations, R 471
- Changing the Help Viewer, R 24
- Changing the Representation, R 278
- Changing the Structure, R 277, T 70
- Chapters and Sections, E 15
- Character, R 742
- CharacterDegrees, R 699
- Character Degrees and Derived Length, R 790
- Characteristic, R 281
- characteristic, for class functions, R 741
- CharacteristicPolynomial, R 226

- characteristic polynomial, for field elements, R 562
- CharacterNames, R 703
- characters, R 735
 - permutation, R 762
 - symmetrizations of, R 756
- CharacterTable, R 693
- Character Table Categories, *R 694*
- CharacterTableDirectProduct, R 721
- CharacterTableFactorGroup, R 722
- CharacterTableIsoclinic, R 723
- character tables, R 692
 - access to, R 692
 - calculate, R 692
 - infix operators, R 698
 - of groups, R 692
- CharacterTableWithSortedCharacters, R 724
- CharacterTableWithSortedClasses, R 724
- CharacterTableWreathSymmetric, R 723
- character value, of group element using powering operator, R 740
- CharsFamily, R 243
- CharTable, T 78
- CheckFixedPoints, R 781
- CheckForHandlingByNiceBasis, R 588
- CheckPermChar, R 788
- ChevalleyBasis, R 619
- ChiefSeries, R 352
- ChiefSeriesThrough, R 352
- ChiefSeriesUnderAction, R 353
- ChineseRem, R 129
- Chinese remainder, R 129
- Chomp, R 247
- CIUnivPols, R 643
- ClassElementLattice, R 358
- classes, real, R 704
- ClassesSolvableGroup, R 434
- ClassFunction, R 742
- class function, R 735
- class function objects, R 735
- class functions, R 777
 - as ring elements, R 739
- ClassFunctionSameType, R 743
- Class Fusions between Character Tables, *R 773*
- Classical Groups, *R 494*
- ClassMultiplicationCoefficient, for character tables, R 711
- class multiplication coefficient, R 711
- ClassNames, R 703
- ClassNamesTom, R 676
- ClassOrbit, R 704
- ClassPermutation, R 725
- ClassPositionsOfAgemo, R 705
- ClassPositionsOfCentre, for characters, R 746
 - for character tables, R 705
- ClassPositionsOfDerivedSubgroup, R 705
- ClassPositionsOfDirectProduct-
Decompositions, R 705
- ClassPositionsOfElementaryAbelianSeries,
R 705
- ClassPositionsOfFittingSubgroup, R 705
- ClassPositionsOfKernel, R 746
- ClassPositionsOfLowerCentralSeries, R 705
- ClassPositionsOfMaximalNormalSubgroups,
R 704
- ClassPositionsOfNormalClosure, R 705
- ClassPositionsOfNormalSubgroup, R 733
- ClassPositionsOfNormalSubgroups, R 704
- ClassPositionsOfSupersolvableResiduum, R 705
- ClassPositionsOfUpperCentralSeries, R 705
- ClassRoots, R 704
- ClassStructureCharTable, R 711
- ClassTypesTom, R 676
- CleanedTailPcElement, R 423
- ClearCacheStats, R 84
- ClearProfile, R 82
- clone, an object, R 113
- CloseMutableBasis, R 581
- CloseStream, R 97
- ClosureGroup, R 338
- ClosureGroupAddElm, R 338
- ClosureGroupCompare, R 338
- ClosureGroupDefault, R 338
- ClosureGroupIntest, R 338
- ClosureLeftModule, R 556
- ClosureNearAdditiveGroup, R 541
- Closure Operations and Other Constructors, *R 305*
- ClosureRing, R 544
- Closures of (Sub)groups, *R 338*
- ClosureSomething, T 70
- ClosureStruct, R 277
- ClosureSubgroup, R 338
- ClosureSubgroupNC, R 338
- Coboundaries, R 630
- Cochain, R 629
- CochainSpace, R 629
- Cocycles, R 630

- cocycles, R 363
- CodePcGroup, R 444
- CodePcgs, R 444
- Coding a Pc Presentation, *R 444*
- coefficient, binomial, R 143
- Coefficient List Arithmetic, *R 211*
- Coefficients, R 577
- coefficients, for cyclotomics, R 155
- CoefficientsAndMagmaElements, R 638
- CoefficientsFamily, R 655
- CoefficientsMultiadic, R 129
- CoefficientsOfLaurentPolynomial, R 652
- CoefficientsOfUnivariatePolynomial, R 646
- CoefficientsOfUnivariateRationalFunction, R 646
- CoefficientsQadic, R 129
- CoefficientsRing, R 653
- CoeffsCyc, R 155
- CoeffsMod, R 211
- cohomology, R 363
- COHORTS_PRIMITIVE_GROUPS, R 510
- cokernel, T 55
- CoKernelOfAdditiveGeneralMapping, R 300
- CoKernelOfMultiplicativeGeneralMapping, R 299
- CollapsedMat, R 784
- Collected, R 193
- Collection Families, *R 257*
- CollectionsFamily, P 20, R 257
- ColumnIndexOfReesMatrixSemigroupElement, R 526
- ColumnIndexOfReesZeroMatrixSemigroupElement, R 526
- Combinations, R 145
- Combinations, Arrangements and Tuples, *R 145*
- CombinatorialCollector, R 439
- Combinatorial Numbers, *R 143*
- Comm, R 285
 - for words, R 322
- Command Line Options, *R 28*
- command mark-up, E 17
- comments, R 40, T 19
- CommutativeDiagram, R 780
- CommutatorFactorGroup, R 356
- CommutatorLength, R 346
 - for character tables, R 701
- CommutatorSubgroup, R 345
- Compacted, R 193
- CompanionMat, R 228
- CompareVersionNumbers, R 823
- comparison, fp semigroup elements, R 532
 - operation, R 284
 - rational functions, R 644
- Comparison of Associative Words, *R 322*
- Comparison of Class Functions, *R 738*
- Comparison of Elements of Finitely Presented Groups, *R 447*
- Comparison of Elements of Finitely Presented Semigroups, *R 532*
- Comparison of Permutations, *R 396*
- Comparison of Rational Functions, *R 644*
- Comparison of Words, *R 315*
- Comparison Operations for Elements, *R 284*
- Comparisons, *R 47*
 - of booleans, R 165
 - of lists, R 177
- Comparisons of Booleans, *R 165*
- Comparisons of Cyclotomics, *R 157*
- Comparisons of Lists, *R 177*
- Comparisons of Records, *R 254*
- Comparisons of Strings, *R 244*
- Compatibility Mode, *T 86*
- Compatibility of Residue Class Rings with Prime Fields, *P 53*
- CompatibleConjugacyClasses, R 697
- CompatiblePairs, R 443
- Compiling Library Code, *R 36*
- Complementclasses, R 345
- ComplementclassesEA, R 365
- ComplementSystem, R 348
- CompleteSchreierTransversal, N 18
- Completion Files, *R 34*
- ComplexConjugate, R 571
 - for class functions, R 741
- ComplexificationQuat, R 593
- Component Objects, *P 21*
- Components of a Dixon Record, *R 719*
- Components versus Attributes, *P 37*
- CompositionMapping, R 293
 - for Frobenius automorphisms, R 568
- CompositionMapping2, R 293
- CompositionMaps, R 778
- CompositionOfStraightLinePrograms, R 330
- CompositionSeries, R 353
 - for groups with pcgs, R 434
- ComputedBrauerTables, R 693

- ComputedClassFusions, R 774
- ComputedIndicators, R 710
- ComputedIsPSolvableCharacterTables, R 710
- ComputedPowerMaps, R 769
- ComputedPrimeBlockss, R 706
- Computing a Pcg, *R 420*
- Computing a Permutation Representation, *R 400*
- Computing Pc Groups, *R 440*
- Computing Possible Permutation Characters, *R 762*
- Computing the Irreducible Characters of a Group, *R 715*
- Concatenation, R 193
- concatenation, of lists, R 193
- Conductor, R 155
- ConfluentRws, R 333
- Congruences, for character tables, R 786
- Congruences for semigroups, *R 522*
- ConjugacyClass, R 343
- Conjugacy Classes, *R 343*
- ConjugacyClasses, attribute, R 343
 - for character tables, R 696
 - for groups with pcgs, R 434
 - for linear groups, R 497
- ConjugacyClassesByOrbits, R 344
- ConjugacyClassesByRandomSearch, R 343
- Conjugacy Classes in Classical Groups, *R 497*
- Conjugacy Classes in Solvable Groups, *R 434*
- ConjugacyClassesMaximalSubgroups, R 357
- ConjugacyClassesPerfectSubgroups, R 360
- ConjugacyClassesSubgroups, R 357
- ConjugacyClassSubgroups, R 356
- conjugate, matrix, R 217
 - of a word, R 322
- ConjugateDominantWeight, R 622
- ConjugateDominantWeightWithWord, R 622
- ConjugateGroup, R 336
- Conjugates, R 563
- ConjugateSubgroup, R 338
- ConjugateSubgroups, R 338
- conjugation, R 381
- ConjugatorAutomorphism, R 373
- ConjugatorAutomorphismNC, R 373
- ConjugatorIsomorphism, R 373
- ConjugatorOfConjugatorIsomorphism, R 374
- ConnectGroupAndCharacterTable, R 697
- ConsiderKernels, R 786
- ConsiderSmallerPowerMaps, R 786
- ConsiderTableAutomorphisms, R 788
- constants, T 20
- ConstantTimeAccessList, R 189
- constituent, of a group character, R 745
- ConstituentsCompositionMapping, R 293
- ConstituentsOfCharacter, R 746
- Constructing Algebras as Free Algebras, *R 590*
- Constructing Algebras by Generators, *R 589*
- Constructing Algebras by Structure Constants, *R 591*
- Constructing Character Tables from Others, *R 721*
- Constructing Domains, *R 276*
- Constructing Lie algebras, *R 614*
- Constructing Pc Groups, *R 438*
- Constructing Subdomains, *R 280*
- Constructing Tables of Marks, *R 671*
- Constructing Vector Spaces, *R 573*
- Construction of Stabilizer Chains, *R 405*
- Constructors for Basic Groups, *R 498*
- ContainedCharacters, R 784
- ContainedDecomposables, R 784
- ContainedMaps, R 779
- ContainedPossibleCharacters, R 783
- ContainedPossibleVirtualCharacters, R 783
- ContainedSpecialVectors, R 783
- ContainedTom, R 680
- ContainingTom, R 680
- continuation, E 25
- continue statement, R 55
- Conventions for Character Tables, *R 696*
- convert, to a string, R 243
- Converting Groups to Finitely Presented Groups, *R 455*
- ConvertToCharacterTable, R 694
- ConvertToCharacterTableNC, R 694
- ConvertToMatrixRep, R 229
- ConvertToRangeRep, R 202
- ConvertToStringRep, R 243
- ConvertToTableOfMarks, R 675
- ConvertToVectorRep, R 210
- ConwayPolynomial, R 569
- Conway Polynomials, *R 569*
- coprime, R 48
- Copy, *T 80*
- copy, R 113
 - an object, R 113
- Copying Weak Pointer Objects, *E 55*
- CopyOptionsDefaults, R 410
- Copyright of GAP for MacOS, *R 811*

- Copyright of GAP for Windows, *R 806*
- CopyStabChain, *R 410*
- Core, *R 345*
- CorrespondingGeneratorsByModuloPcgs, *R 428*
- coset, *R 340*
- CosetLeadersMatFFE, *R 212*
- Cosets, *R 340*
- CosetTable, *R 449*
- CosetTableBySubgroup, *R 450*
- CosetTableDefaultLimit, *R 452*
- CosetTableDefaultMaxLimit, *R 451*
- CosetTableFromGensAndRelS, *R 451*
- CosetTableInWholeGroup, *R 453*
- CosetTableOfFpSemigroup, *R 535*
- Coset Tables and Coset Enumeration, *R 449*
- Coset tables for subgroups in the whole group, *R 453*
- CosetTableStandard, *R 453*
- CRC, *R 37*
- CrcFile, *R 94*
 - example, *R 37*
- CRC Numbers, *R 37*
- CreateCompletionFiles, *R 35*
- CreateCompletionFilesPkg, *E 41*
- Creating Attributes and Properties, *P 18*
- Creating Categories, *P 17*
- Creating Character Tables, *R 692*
- Creating Class Functions from Values Lists, *R 742*
- Creating Class Functions using Groups, *R 743*
- Creating Families, *P 19*
- Creating Finite Fields, *R 567*
- Creating Finitely Presented Groups, *R 447*
- Creating Finitely Presented Semigroups, *R 531*
- Creating Group Homomorphisms, *R 368*
- Creating Groups, *R 335*
- Creating hom cosets and quotient groups, *N 15*
- Creating Mappings, *R 292*
- Creating Objects, *P 21*
- Creating Operations, *P 19*
- Creating Other Filters, *P 19*
- Creating Own Arithmetic Objects, *P 39*
- Creating Permutations, *R 398*
- Creating Presentations, *R 464*
- Creating Representations, *P 17*
- Creating Types, *P 21*
- Creation of Algebraic Extensions, *R 660*
- Creation of Rational Functions, *R 657*
- Credit, *R 22*
- CrystGroupDefaultAction, *R 419*
- Cycle, *R 389*
- CycleLength, *R 389*
- CycleLengths, *R 389*
- Cycles, *R 389*
- CycleStructureClass, *R 747*
- CycleStructurePerm, *R 398*
- CyclicExtensionsTom, *R 680*
- CyclicGroup, *R 492*
- CyclotomicField, *R 570*
- cyclotomic field elements, *R 153*
- CyclotomicPolynomial, *R 650*
- Cyclotomic Polynomials, *R 650*
- Cyclotomics, *R 153*
- D**
- d_N , *R 157*
- Darstellungsgruppe, see *EpimorphismSchurCover*, *R 365*
- DataType, *R 124*
- data type, unknown, *R 163*
- DayDMY, *R 249*
- DaysInMonth, *R 248*
- DaysInYear, *R 248*
- Debugging, *T 85*
- Debugging Recursion, *R 84*
- DEC, *R 235*
- Declaration and Implementation Part, *E 40, P 30*
- DeclareAttribute, *P 29*
 - example, *P 35*
- DeclareAutoPackage, *R 822*
- DeclareCategory, *P 29*
- DeclareFilter, *P 29*
- DeclareGlobalFunction, *P 29*
- DeclareGlobalVariable, *P 29*
- DeclareHandlingByNiceBasis, *R 587*
- DeclareInfoClass, *R 80*
- DeclareOperation, *P 29*
- DeclarePackage, *R 822*
- DeclarePackageAutoDocumentation, *R 822*
- DeclarePackageDocumentation, *R 822*
- DeclareProperty, *P 29*
- DeclareRepresentation, *P 29*
 - belongs to implementation part, *P 31*
 - example, *P 35*
- DeclareSynonym, *P 30*
- DeclareSynonymAttr, *P 30*
- DecodeTree, *R 481*
- DecodeTree, *R 481*

- decompose, a group character, R 745
- DecomposedFixedPointVector, R 681
- DecomposeTensorProduct, R 630
- Decomposition, R 236
- DecompositionInt, R 236
- DecompositionMatrix, R 708
- decomposition matrix, R 235
- Decompositions, *R 235*
- Decreased, R 754
- DefaultField, R 559
 - for cyclotomics, R 156
 - for finite field elements, R 567
- DefaultFieldByGenerators, R 560
- DefaultFieldOfMatrix, R 218
- DefaultFieldOfMatrixGroup, R 414
- DefaultRing, R 543
 - for finite field elements, R 567
- DefaultRingByGenerators, R 544
- DefaultStabChainOptions, R 407
- Defining a Pcgs Yourself, *R 421*
- DefiningPolynomial, R 561
- DefiningQuotientHomomorphism, R 459
- DegreeFFE, R 566
- DegreeIndeterminate, R 648
- DegreeOfBinaryRelation, R 304
- DegreeOfCharacter, R 745
- DegreeOfLaurentPolynomial, R 647
- DegreeOfTransformation, R 536
- DegreeOfTransformationSemigroup, R 522
- DegreeOverPrimeField, R 561
- Delta, R 791
- Denominator, T 78
- denominator, of a rational, R 142
- DenominatorCyc, R 155
- DenominatorOfModuloPcgs, R 427
- DenominatorOfRationalFunction, R 645
- DenominatorRat, R 142
- DenseHashTable, N 12
- Dense hash tables, *N 12*
- DenseIntKey, N 12
- DepthOfPcElement, R 423
- DepthOfUpperTriangularMatrix, R 226
- DepthVector, T 78
- Derangements, R 147
- Derivations, R 615
- Derivative, R 649
- DerivedLength, R 353
- DerivedSeriesOfGroup, R 353
- DerivedSubgroup, R 346
- DerivedSubgroupsTom, R 679
- DerivedSubgroupsTomPossible, R 679
- DerivedSubgroupsTomUnique, R 679
- DerivedSubgroupTom, R 679
- DescriptionOfRootOfUnity, R 156
- Designing new Multiplicative Objects, *P 61*
- Determinant, R 218
- determinant character, R 747
- DeterminantMat, R 218
- DeterminantMatDestructive, R 219
- DeterminantMatDivFree, R 219
- DeterminantOfCharacter, R 747
- Developing rewriting systems, *R 334*
- DiagonalizeIntMatNormDriven, R 232
- DiagonalizeMat, R 224
- DiagonalMat, R 220
- DiagonalOfMat, R 226
- Dictionaries, *N 10*
- DictionaryByPosition, N 11
- Difference, R 264
- DifferenceBlist, R 205
- Different Notions of Generation, *T 81*
- DihedralGroup, R 493
- Dimension, R 557
- DimensionOfHighestWeightModule, R 631
- DimensionOfMatrixGroup, R 414
- DimensionOfVectors, R 582
- DimensionsLoewyFactors, R 354
- DimensionsMat, R 218
- Directories, *R 90*
- DirectoriesLibrary, R 90
- DirectoriesPackageLibrary, R 823
- DirectoriesPackagePrograms, R 823
- DirectoriesSystemPrograms, R 91
- Directory, R 90
- DirectoryCurrent, R 90
- DirectoryTemporary, R 90
- DirectProduct, R 487
- Direct product chain subgroups, *N 22*
- DirectProductOp, R 487
- Direct Products, *R 487*
- DirectSumDecomposition, R 601
 - for Lie algebras, R 619
- Direct Sum Decompositions, *R 618*
- DirectSumOfAlgebraModules, R 612
 - for Lie algebras, R 634
- DirectSumOfAlgebras, R 600

- DisableAttributeValueStoring, R 122
 - disable automatic loading, R 821
 - Discriminant, R 649
 - Display, R 66
 - for character tables, R 712
 - for tables of marks, R 673
 - DisplayCacheStats, R 83
 - DisplayCompositionSeries, R 353
 - DisplayEggBoxOfDCClass, R 524
 - DisplayImfInvariants, R 513
 - DisplayInformationPerfectGroups, R 506
 - DisplayOptions, R 713
 - DisplayOptionsStack, R 87
 - DisplayProfile, R 82
 - DisplayRevision, R 84
 - DistancesDistributionMatFFVecFFE, R 212
 - DistancesDistributionVecFFVecFFE, R 212
 - DistanceVecFFE, R 212
 - Distinguished Subalgebras, *R 616*
 - division, R 48
 - operation, R 285
 - DivisionRingByGenerators, R 560
 - division rings, R 559
 - divisors, of an integer, R 132
 - DivisorsInt, R 132
 - Dixon-Schneider algorithm, R 717
 - DixonInit, R 718
 - DixonRecord, R 718
 - DixonSplit, R 718
 - DixontinI, R 718
 - DMYDay, R 249
 - DMYhmsSeconds, R 250
 - DnLattice, R 755
 - DnLatticeIterative, R 756
 - do, R 52
 - document formats, for help books, E 45
 - document formats (text, dvi, ps, pdf, html), R 24
 - Domain, R 281
 - DomainByGenerators, R 281
 - Domain Categories, *R 278*
 - Domain Constructors, *T 69*
 - Domains, *R 110*
 - Domains as Sets, *T 68*
 - Domains Generated by Class Functions, *R 768*
 - Domains of Subspaces of Vector Spaces, *R 574*
 - DominantCharacter, R 630
 - DominantWeights, R 630
 - DoubleCoset, R 342
 - DoubleCosetRepsAndSizes, R 342
 - Double Cosets, *R 342*
 - DoubleCosets, operation, R 342
 - DoubleCosetsNC, operation, R 342
 - DoubleHashArraySize, N 12
 - doublequote character, R 242
 - doublequotes, R 240
 - DownEnv, R 71, T 85
 - Dummy Streams, *R 105*
 - duplicate free, R 188
 - DuplicateFreeList, R 193
 - Duplication of Lists, *R 175*
 - Duplication of Objects, *R 113*
 - DxIncludeIrreducibles, R 719
- E**
- E, R 153
 - e_N , R 157
 - Earns, R 390
 - EB, R 157
 - EC, R 157
 - Echelonized Matrices, *R 224*
 - ED, R 157
 - Edit, R 74
 - Editing Files, *R 74*
 - Editor Support, *R 75*
 - EE, R 157
 - EF, R 157
 - Efficiency of Homomorphisms, *R 371*
 - EG, R 157
 - EggBoxOfDCClass, R 524
 - EH, R 157
 - EI, R 158
 - Eigenspaces, R 223
 - Eigenvalues, R 223
 - EigenvaluesChar, R 748
 - Eigenvectors, R 223
 - Eigenvectors and eigenvalues, *R 223*
 - EJ, R 158
 - EK, R 158
 - EL, R 158
 - ElementaryAbelianGroup, R 493
 - ElementaryAbelianSeries, R 353
 - ElementaryAbelianSeriesLargeSteps, R 353
 - Elementary Divisors, *R 223*
 - ElementaryDivisorsMat, R 223
 - Elementary Operations for a Pcg, *R 422*

- Elementary Operations for a Pcg and an Element,
R 422
- Elementary Operations for Integers, *R 125*
- Elementary Operations for Rationals, *R 141*
- Elementary Tietze Transformations, *R 475*
- ElementOfFpGroup, *R 449*
- ElementOfFpSemigroup, *R 533*
- ElementOfMagmaRing, *R 638*
- ElementOrdersPowerMap, *R 771*
- ElementProperty, *R 411*
- Elements, *R 261*, *T 78*
- elements, *T 23*
 - definition, *R 109*
 - of a list or collection, *R 261*
- Elements as equivalence classes, *R 109*
- ElementsFamily, *P 21*, *R 257*
- Elements in Algebraic Extensions, *R 660*
- Elements of Finitely Presented Groups, *T 84*
- Elements of Free Magma Rings, *R 637*
- Elements of pc groups, *R 437*
- ElementsStabChain, *R 409*
- Elements with Prescribed Images, *R 385*
- element test, for lists, *R 177*
- elif, *R 51*
- EliminatedWord, *R 324*
- ElmWPObj, *E 54*
- else, *R 51*
- EM, *R 158*
- emacs, *R 75*
- email addresses, *T 17*
- Embedding, *R 294*
 - example for direct products, *R 487*
 - example for semidirect products, *R 489*
 - example for wreath products, *R 490*
 - for group products, *R 491*
 - for Lie algebras, *R 614*
 - for magma rings, *R 638*
- embeddings, find all, *R 377*
- Embeddings and Projections for Group Products,
R 491
- EmptyBinaryRelation, *R 303*
- EmptyMatrix, *R 219*
- EmptySCTable, *R 591*
- EmptyStabChain, *R 410*
- EnableAttributeValueStoring, *R 122*
- End, *R 585*
- end, *R 55*
- Enforcing Property Tests, *P 33*
- Enlarging Internally Represented Lists, *R 177*
- Enumerator, *R 258*
- enumerator, *T 49*
- EnumeratorByBasis, *R 578*
- Enumerators, *R 203*
- EnumeratorSorted, *R 258*
- environment, *R 55*
- EpimorphismNilpotentQuotient, *R 461*
- EpimorphismPGroup, *R 460*
- EpimorphismQuotientSystem, *R 460*
- epimorphisms, find all, *R 377*
- EpimorphismSchurCover, *R 365*
- equality, associative words, *R 322*
 - elements of finitely presented groups, *R 447*
 - nonassociative words, *R 315*
 - of records, *R 254*
 - operation, *R 284*
 - pcwords, *R 437*
- Equality and Comparison of Domains, *R 276*
- equality test, *R 47*
 - for permutations, *R 396*
- equivalence class, *R 306*
- Equivalence Classes, *R 306*
- EquivalenceClasses, attribute, *R 307*
- EquivalenceClassOfElement, *R 307*
- EquivalenceClassOfElementNC, *R 307*
- EquivalenceClassRelation, *R 307*
- equivalence relation, *R 304*
- EquivalenceRelationByPairs, *R 306*
- EquivalenceRelationByPairsNC, *R 306*
- EquivalenceRelationByPartition, *R 306*
- EquivalenceRelationByPartitionNC, *R 306*
- EquivalenceRelationByProperty, *R 306*
- EquivalenceRelationByRelation, *R 306*
- EquivalenceRelationPartition, *R 306*
- Equivalence Relations, *R 305*
- ER, *R 158*
- Error, *R 72*
- Error, *R 72*
- ErrorCount, *R 72*
- ErrorCount, *R 72*
- ErrorNoTraceBack, *R 68*
- errors, syntax, *R 64*
- ES, *R 158*
- escaped characters, *R 242*
- escaping non-special characters, *R 242*
- ET, *R 158*
- EU, *R 158*

- EuclideanDegree, R 551
 - EuclideanQuotient, R 551
 - EuclideanRemainder, R 551
 - Euclidean Rings, *R 551*
 - Euler's totient function, R 134
 - EulerianFunction, R 352
 - EulerianFunctionByTom, R 681
 - EV, R 158
 - EvalStraightLineProgElm, R 331
 - EvalString, R 248
 - evaluation, R 42
 - strings, R 247
 - EW, R 158
 - EX, R 158
 - ExactSizeConsiderFunction, R 362
 - Example: Groups with a decomposition as semidirect product, *P 39*
 - Example: Groups with a word length, *P 38*
 - Example: M-groups, *P 38*
 - Examples, Lists, and Verbatim, *E 21*
 - Exec, R 108
 - Exec, *R 108*
 - execution, R 49
 - exit, R 72
 - expanded form of monomials, R 656
 - Expert Windows installation, *R 809*
 - Exponent, R 352
 - for character tables, R 701
 - exponent, of the prime residue group, R 134
 - exponentiation, operation, R 285
 - ExponentOfPcElement, R 422
 - ExponentsConjugateLayer, R 424
 - ExponentsOfCommutator, R 424
 - ExponentsOfConjugate, R 424
 - ExponentsOfPcElement, R 422
 - ExponentsOfRelativePower, R 424
 - Exponents of Special Products, *R 424*
 - ExponentSumWord, R 323
 - ExponentSyllable, R 324
 - Expressing Group Elements as Words in Generators, *R 339*
 - Expressions, *R 42*
 - ExtendedGroup, N 21
 - ExtendedPcgs, R 426
 - Extending the Range of Definition of an Existing Operation, *P 33*
 - ExtendSchreierTransversal, N 18
 - ExtendSchreierTransversalShortCube, N 18
 - ExtendSchreierTransversalShortTree, N 18
 - ExtendStabChain, R 410
 - Extension, R 442
 - ExtensionNC, R 442
 - ExtensionRepresentatives, R 443
 - Extensions, R 442
 - Extensions of the p-adic Numbers, *R 663*
 - ExteriorPowerOfAlgebraModule, R 634
 - ExternalOrbit, R 393
 - ExternalOrbits, R 393
 - ExternalOrbitsStabilizers, R 393
 - External Representation, *P 26*
 - External Representation for Nonassociative Words, *R 318*
 - external representation of polynomials, R 656
 - ExternalSet, E 50, R 392
 - external set, T 48
 - External Sets, *R 391*
 - ExternalSubset, R 392
 - Extract, R 752
 - ExtraspecialGroup, R 493
 - ExtRepDenominatorRatFun, R 657
 - ExtRepNumeratorRatFun, R 657
 - ExtRepOfObj, P 26
 - external representation, for cyclotomics, R 156
 - ExtRepPolynomialRatFun, R 657
 - EY, R 158
- ## F
- F, Function mark-up, E 17
 - f_N , R 157
 - FactorCosetAction, R 387
 - for fp groups, R 450
 - FactorCosetOperation, R 450
 - FactorFreeSemigroupByRelations, R 531
 - FactorGroup, R 355
 - FactorGroupFpGroupByReIs, R 447
 - FactorGroupNC, R 355
 - FactorGroupNormalSubgroupClasses, R 733
 - Factor Groups, *R 355*
 - Factor Groups of Polycyclic Groups - Modulo Pcgs, *R 426*
 - Factor Groups of Polycyclic Groups in their Own Representation, *R 428*
 - FactorGroupTom, R 682
 - Factorial, R 143
 - Factorization, R 340
 - factorization, R 339

- Factors, R 551
 - of univariate polynomial, R 650
- FactorsInt, R 131
- FactorsSquarefree, R 651
- Fail, R 165, T 77
- fail, R 165
- fail instead of false, T 77
- FaithfulModule, R 611
 - for Lie algebras, R 628
- Families, R 115
- FamiliesOfGeneralMappingsAndRanges, R 302
- FamiliesOfRows, R 728
- family, T 31
- FamilyForOrdering, R 270
- FamilyObj, R 115
- FamilyPcgs, R 436
- FamilyRange, R 302
- FamilySource, R 302
- FAQ, R 817
- Fast access to last hash index, N 12
- features, under UNIX, R 28
- fi, R 51
- Fibonacci, R 151
- Fibonacci and Lucas Sequences, R 151
- Field, R 559
- FieldExtension, R 561
- field homomorphisms, Frobenius, R 568
- FieldOfMatrixGroup, R 414
- FieldOverItselfByGenerators, R 560
- fields, R 559
- File Access, R 92
- FileDescriptorOfStream, R 97
- Filename, R 91
- Filename, R 91
- File Operations, R 93
- File Streams, R 102
- File Structure, E 33
- File Types, E 33
- Filtered, R 196
- Filters, R 116
- filters, T 73
- Filters Controlling the Arithmetic Behaviour of Lists, R 179
- Finding Implementations in the Library, E 34
- Finding Positions in Lists, R 185
- Finding Submodules, R 666
- FindS12, R 626
- Finite Field Elements, R 565
- Finitely Presented Lie Algebras, R 626
- Finitely presented monoids, R 533
- finiteness test, for a list or collection, R 261
- Finite Perfect Groups, R 504
- First, R 197
- FittingSubgroup, R 346
- Flat, R 194
- FlushCaches, P 30
- flush character, R 242
- foa triples, E 48
- For, R 52
- ForAll, R 198
- For and While Loops, T 33
- ForAny, R 198
- for loop, R 52
- Forming Closures of Domains, T 70
- FpElmComparisonMethod, R 448
- FpGroupPresentation, R 464
- FpGrpMonSmgOfFpGrpMonSmgElement, R 531
- FpLieAlgebraByCartanMatrix, R 627
- frame, R 757
- FrattiniSubgroup, R 346
 - for groups with pcgs, R 434
- FreeAlgebra, R 590
- FreeAlgebraWithOne, R 590
- FreeAssociativeAlgebra, R 590
- FreeAssociativeAlgebraWithOne, R 590
- FreeGeneratorsOfFpGroup, R 448
- FreeGeneratorsOfFpSemigroup, R 532
- FreeGeneratorsOfWholeGroup, R 448
- FreeGroup, R 319
- FreeGroupOfFpGroup, R 448
- Free Groups, Monoids and Semigroups, R 319
- FreeLeftModule, R 557
- FreeLieAlgebra, R 615
- FreeMagma, R 317
- FreeMagmaRing, R 636
- Free Magma Rings, R 636
- Free Magmas, R 317
- FreeMagmaWithOne, R 317
- Free Modules, R 556
- FreeMonoid, R 527
 - with example, R 320
- FreeMonoidOfRewritingSystem, R 535
- FreeSemigroup, R 320
 - with examples, R 521
- FreeSemigroupOfFpSemigroup, R 532
- FreeSemigroupOfRewritingSystem, R 535

- Frobenius automorphism, R 568
 - FrobeniusAutomorphism, R 568
 - FrobeniusAutomorphism, *R 568*
 - FrobeniusCharacterValue, R 766
 - ftp, R 798
 - FullMatrixAlgebra, R 593
 - FullMatrixAlgebraCentralizer, R 601
 - FullMatrixLieAlgebra, R 615
 - FullMatrixModule, R 558
 - FullMatrixSpace, R 582
 - FullRowModule, R 558
 - FullRowSpace, R 582
 - Function, *R 55*
 - function, R 55
 - FunctionAction, R 392
 - function call, R 46
 - with arguments, R 46
 - with options, R 46
 - Function Calls, *R 46*
 - FunctionOperation, R 394
 - functions, R 61
 - definition by arrow notation, R 57
 - definition of, R 55
 - recursive, R 55
 - with a variable number of arguments, R 56
 - FunctionsFamily, R 63
 - Functions for Coding Theory, *R 212*
 - Functions for GAP Packages, *R 822*
 - Functions that do nothing, *R 62*
 - Function that Modify Boolean Lists, *R 206*
 - Function Types, *R 62*
 - Further Improvements in Implementing Residue Class Rings, *P 59*
 - Further Information about Domains, *T 71*
 - Further Information about Functions, *T 43*
 - Further Information about GAP, *T 16*
 - Further Information about Groups and Homomorphisms, *T 57*
 - Further Information about Lists, *T 38*
 - Further Information about Vector Spaces and Algebras, *T 67*
 - Further Information introducing the System, *T 26*
 - FusionCharTableTom, R 688
 - FusionConjugacyClasses, R 773
 - FusionConjugacyClassesOp, R 773
 - fusions, R 773
 - FusionsAllowedByRestrictions, R 788
 - FusionsTom, R 677
- G**
- G-sets, E 50, R 391
 - g_N , R 157
 - gac, R 35
 - Galois Action, *R 561*
 - Galois Conjugacy of Cyclotomics, *R 159*
 - GaloisCyc, R 159
 - for class functions, R 741
 - GaloisField, R 567
 - GaloisGroup, of field, R 562
 - of rational class of a group, R 344
 - Galois Groups of Abelian Number Fields, *R 571*
 - GaloisMat, R 161
 - GaloisStabilizer, R 571
 - gap-trouble, email address, R 818, T 17
 - gap.rc, R 34
 - GAP3, R 34
 - Gap3CatalogueIdGroup, R 502
 - GAP_ROOT_PATHS, E 37, R 90
 - GAPChars, R 732
 - GAP for MacOS, *R 811*
 - GAP for UNIX, *R 800*
 - GAP for Windows, *R 806*
 - GapInputPcGroup, R 441
 - GapInputSCTable, R 591
 - gapmacro.tex, E 12
 - GAP package, permissions, R 820
 - GAP Root Directory, *R 89*
 - Gaussian algorithm, R 222
 - GaussianIntegers, R 572
 - GaussianRationals, R 570
 - Gaussians, *R 572*
 - Gcd, R 552
 - Gcd and Lcm, *R 552*
 - Gcdex, R 128
 - GcdInt, R 128
 - GcdOp, R 552
 - GcdRepresentation, R 552
 - GcdRepresentationOp, R 552
 - General Binary Relations, *R 303*
 - General hash table definitions and operations, *N 11*
 - General Hash Tables, *N 11*
 - GeneralisedEigenspaces, R 223
 - GeneralisedEigenvalues, R 223
 - generalized characters, R 735
 - Generalized Conjugation Technique, *E 56*
 - generalized conjugation technique, E 56
 - GeneralizedEigenspaces, R 223

- GeneralizedEigenvalues, R 223
- GeneralLinearGroup, R 494
- GeneralMappingByElements, R 292
- General Mappings, *R 301*
- GeneralMappingsFamily, R 302
- General operations on transversals, *N 17*
- GeneralOrthogonalGroup, R 496
- GeneralUnitaryGroup, R 495
- Generating Fields, *R 559*
- Generating modules, *R 555*
- Generating Rings, *R 543*
- GeneratingSetIsComplete, N 20
- generator, of the prime residue group, R 136
- GeneratorsOfAdditiveGroup, R 541
- GeneratorsOfAdditiveMagma, R 541
- GeneratorsOfAdditiveMagmaWithZero, R 541
- GeneratorsOfAlgebra, R 597
- GeneratorsOfAlgebraModule, R 607
- GeneratorsOfAlgebraWithOne, R 597
- GeneratorsOfDivisionRing, R 560
- GeneratorsOfDomain, R 280
- GeneratorsOfEquivalenceRelationPartition, R 306
- GeneratorsOfField, R 560
- GeneratorsOfGroup, R 336
- GeneratorsOfIdeal, R 546
- GeneratorsOfLeftIdeal, R 547
- GeneratorsOfLeftModule, R 555
- GeneratorsOfLeftOperatorAdditiveGroup, R 555
- GeneratorsOfLeftVectorSpace, R 574
- GeneratorsOfMagma, R 311
- GeneratorsOfMagmaWithInverses, R 311
- GeneratorsOfMagmaWithOne, R 311
- GeneratorsOfMonoid, R 527
- GeneratorsOfNearAdditiveGroup, R 541
- GeneratorsOfNearAdditiveMagma, R 541
- GeneratorsOfNearAdditiveMagmaWithZero, R 541
- GeneratorsOfPresentation, R 464
- GeneratorsOfRightIdeal, R 547
- GeneratorsOfRightModule, R 556
- GeneratorsOfRightOperatorAdditiveGroup, R 555
- GeneratorsOfRing, R 544
- GeneratorsOfRingWithOne, R 548
- GeneratorsOfRws, R 333
- GeneratorsOfSemigroup, R 520
- GeneratorsOfSomething, T 69
- GeneratorsOf *Struct*, R 277
- GeneratorsOfTwoSidedIdeal, R 546
- GeneratorsOfVectorSpace, R 574
- GeneratorsPrimeResidues, R 135
- GeneratorsSmallest, R 362
- GeneratorsSubgroupsTom, R 685
- GeneratorSyllable, R 324
- Generic Construction of Tables of Marks, *R 689*
- GetFusionMap, R 775
- GetHashEntry, N 11
- GetHashEntryAtLastIndex, N 13
- GetHashEntryIndex, N 12
- getter, of an attribute, T 72
- Getting GAP, *R 798*
- getting help, R 23
- GL, R 494
- GL and SL, *R 415*
- Global Variables in the Library, *P 29*
- GModuleByMats, R 665
- GO, R 496
- GQuotients, R 377
- Grading, R 602
- Green's Relations, *R 523*
- GreensDClasses, R 524
- GreensDClassOfElement, R 524
- GreensDRelation, R 523
- GreensHClasses, R 524
- GreensHClassOfElement, R 524
- GreensHRelation, R 523
- GreensJClasses, R 524
- GreensJClassOfElement, R 524
- GreensJRelation, R 523
- GreensLClasses, R 524
- GreensLClassOfElement, R 524
- GreensLRelation, R 523
- GreensRClasses, R 524
- GreensRClassOfElement, R 524
- GreensRRelation, R 523
- Group, R 335
- group actions, R 381
 - operations syntax, R 380
- group algebra, R 636
- Group Automorphisms, *R 373*
- GroupByRws, R 439
- GroupByRwsNC, R 439
- group characters, R 735
- Group Elements, *R 335*
- group general mapping, T 55
 - single-valued, T 55

- total, T 55
- GroupGeneralMappingByImages, R 369
- GroupHClassOfGreensDCClass, R 525
- GroupHomomorphismByFunction, R 369
- GroupHomomorphismByImages, R 368
- GroupHomomorphismByImagesNC, R 368
- GroupHomomorphismByImages vs. GroupGeneralMappingByImages, T 55
- Group Homomorphisms, Group Homomorphisms, by Images, T 54
- GroupOfPcgs, R 422
- group operations, R 394
- Group Properties, R 349
- GroupRing, R 636
- group ring, R 636
- Groups of Automorphisms, R 375
- GroupStabChain, R 409
- GroupWithGenerators, R 336
- GU, R 495
- H**
- h_N , R 157
- HallSubgroup, R 348
- HallSystem, R 349
 - for groups with pcgs, R 434
- Handling of Streams in the Background, R 105
- HasAbelianFactorGroup, R 356
- HasChainHomomorphicImage, N 21
- HasElementaryAbelianFactorGroup, R 356
- HashFunct, N 12
- HashKeyEnumerator, N 11
- Hash keys, N 11
- HasIndeterminateName, R 643
- HasParent, R 279
- HasseDiagramBinaryRelation, R 305
- HeadPcElementByNumber, R 424
- Help, T 25
- HELP_ADD_BOOK, E 44
- HenselBound, R 651
- HermiteNormalFormIntegerMat, R 234
- HermiteNormalFormIntegerMatInverseTransforms, R 234
- HermiteNormalFormIntegerMatTransforms, R 234
- HeuristicCancelPolynomials, R 659
- HexStringInt, R 245
- HighestWeightModule, R 633
- History of Character Theory Stuff in GAP, R 692
- HMSMSec, R 249
- HNFCheuCollins, R 233
- HNFLLLDriven, R 233
- HNFNormDriven, R 233
- Hom, R 585
- HomCoset, N 15
- Hom coset chain subgroups, N 21
- HomCosetWithImage, N 15
- HomeEnumerator, R 392
- Homomorphism, for quotient groups by homomorphisms, N 15
 - for subgroup transversals, N 18
- homomorphism, action, T 48
 - natural, T 45
 - operation, T 48
- Homomorphism for very large groups, R 372
- HomomorphismQuotientSemigroup, R 523
- homomorphisms, find all, R 376
- homomorphisms, Frobenius, field, R 568
- Homomorphisms of Algebras, R 602
- Homomorphisms vs. Factor Structures, T 83
- Homomorphisms vs. General Mappings, T 83
- HomomorphismTransformationSemigroup, R 522
- HomTransversal, N 18
- How to Implement New Kinds of Vector Spaces, R 587
- HP-UX, R 800
- HTML Font Setup, R 816
- HumanReadableDefinition, R 683
- I**
- i_N , R 158
- Ideal, R 545
- IdealByGenerators, R 546
- IdealNC, R 546
- Ideals, R 595
- Ideals in Rings, R 545
- Ideals of semigroups, R 522
- Idempotents, R 312
- IdempotentsTom, R 677
- IdempotentsTomInfo, R 677
- Identical Lists, R 174, T 29
- Identical Objects, R 110
- Identical Records, R 253
- IdentificationOfConjugacyClasses, R 697
- Identifier, for character tables, R 703
 - for tables of marks, R 677
- identifier, T 22
- Identifiers, R 41

- Identity, R 281
- IdentityBinaryRelation, R 303
- IdentityFromSCTable, R 592
- IdentityMapping, R 294
- IdentityMat, R 219
- IdentityTransformation, R 536
- IdFunc, R 62
- IdGap3SolvableGroup, R 502
- IdGroup, R 502
- IdSmallGroup, R 502
- IdsOfAllSmallGroups, R 502
- If, *R 51*
- if statement, R 51
- If Statements, *T 40*
- If Things Go Wrong, *R 817*
- Image, R 295
 - for Frobenius automorphisms, R 568
- image, vector under matrix, R 217
- ImageElm, R 295
- ImageElt, N 15
- ImageGroup, N 18
- ImageListOfTransformation, R 536
- Images, R 296
- ImagesElm, R 295
- ImageSetOfTransformation, R 537
- ImagesRepresentative, R 295
- ImagesSet, R 295
- ImagesSmallestGenerators, R 372
- ImagesSource, N 15, R 295
- Images under Mappings, *R 295*
- ImfInvariants, R 515
- ImfMatrixGroup, R 516
- ImfNumberQCclasses, R 513
- ImfNumberQQClasses, R 513
- ImfNumberZClasses, R 513
- Immediate Methods, *P 14*
- Immutability, *T 30*
- Immutable, R 112
- ImmutableBasis, R 580
- ImmutableMatrix, R 228
- Immutable Objects, *T 80*
- Implementing New List Objects, *P 24*
- in, for collections, R 264
 - for lists, R 177
 - for strictly sorted lists, R 191
 - operation for, R 264
- IndependentGeneratorsOfAbelianGroup, R 363
- Indeterminate, R 642
- IndeterminateName, R 643
- Indeterminateness, R 782
- IndeterminateNumberOfLaurentPolynomial, R 652
- IndeterminateNumberOfUnivariateRationalFunction, R 643
- IndeterminateOfUnivariateRationalFunction, R 643
- Indeterminates, *R 642*
- IndeterminatesOfPolynomialRing, R 653
- Index, R 337
- indexing commands, E 17
- IndexInWholeGroup, R 337
- IndexNC, R 337
- Indicator, R 710
- IndicatorOp, R 710
- IndicesInvoluntaryGenerators, R 452
- IndicesNormalSteps, R 429
- IndicesOfAdjointBasis, R 598
- IndicesStabChain, R 409
- Indirected, R 779
- Induced Actions, *R 667*
- InducedAutomorphism, R 375
- InducedClassFunction, R 749
- InducedClassFunctions, R 749
- InducedCyclic, R 750
- InducedPcgs, R 425
- InducedPcgsByGenerators, R 425
- InducedPcgsByGeneratorsNC, R 425
- InducedPcgsByPcSequence, R 425
- InducedPcgsByPcSequenceAndGenerators, R 425
- InducedPcgsByPcSequenceNC, R 425
- InducedPcgsWrtFamilyPcgs, R 436
- InducedPcgsWrtSpecialPcgs, R 432
- Inequalities, R 766
- inequality, of records, R 254
- inequality test, R 47
- InertiaSubgroup, R 746
- Infinity, *R 156*
- infinity, R 156
- inflated class functions, R 748
- Info, R 80
- InfoAlgebra, R 589
- InfoAttributes, R 122
- InfoBckt, R 412
- InfoCharacterTable, R 695
- InfoCoh, R 365
- InfoComplement, R 345

- InfoCoset, R 343
- InfoFpGroup, R 447
- Info Functions, *R 80*
- InfoGroup, R 336
- InfoLattice, R 360
- InfoLevel, R 80
- InfoMatrix, R 215
- InfoMonomial, R 790
- InfoNumtheor, R 134
- InfoOptions, R 87
- InfoPcSubgroup, R 362
- Information about a function, *R 61*
- Information about the version used, *R 84*
- InfoText, R 703
- InfoTom, R 675
- InfoWarning, R 81
- init.g, for a GAP package, E 40
- InitFusion, R 787
- InitPowerMap, R 785
- Injection, N 19
- InjectionZeroMagma, R 310
- InnerAutomorphism, R 374
- InnerAutomorphismNC, R 374
- InnerAutomorphismsAutomorphismGroup, R 375
- inner product, of group characters, R 745
- In Parent Attributes, *E 49*
- InParentFOA, E 49
- Input-Output Streams, *R 103*
- InputLogTo, R 94
 - for streams, R 101
 - stop logging input, R 94
- InputOutputLocalProcess, R 104
- InputTextFile, R 102
- InputTextNone, R 105
- InputTextString, R 103
- InputTextUser, R 103
- InsertTrivialStabilizer, R 410
- InstallAtExit, R 73
- installation, R 797
- installation, under UNIX, R 800
 - under Windows, R 807
- Installation for the Impatient, *R 797*
- Installation of GAP for MacOS, *R 811*
- Installation of GAP for UNIX, *R 800*
- Installation of GAP for Windows, *R 807*
- Installation of GAP Package Binaries, *E 38*
- InstallCharReadHookFunc, R 105
- InstalledPackageVersion, R 823
- InstallFactorMaintenance, R 287
- InstallFlushableValue, P 30
- InstallGlobalFunction, P 29
- InstallHandlingByNiceBasis, R 587
- InstallImmediateMethod, P 14
- Installing a GAP Package in your home directory, *R 820*
- Installing a Help Book, *E 44*
- Installing GAP Packages, *R 819*
- InstallIsomorphismMaintenance, R 287
- InstallMethod, P 12
- InstallOtherMethod, P 13
- InstallSubsetMaintenance, R 287
- InstallTrueMethod, P 15
- InstallValue, P 30
- Int, R 125
 - for cyclotomics, R 154
 - for strings, R 247
- integer part of a quotient, R 128
- Integers, R 125
- Integral Bases for Abelian Number Fields, *R 570*
- IntegralizedMat, R 236
- IntegratedStraightLineProgram, R 330
- Interface to the CAS System, *R 728*
- Interface to the MOC System, *R 729*
- IntermediateGroup, R 355
- IntermediateSubgroups, R 355
- Internally Represented Cyclotomics, *R 162*
- Internally Represented Strings, *R 243*
- InterpolatedPolynomial, R 554
- IntersectBlist, R 206
- Intersection, R 263
 - for groups with pcgs, R 434
- intersection, of collections, R 263
 - of sets, R 192
- Intersection2, R 263
- IntersectionBlist, R 205
- IntersectionsTom, R 681
- IntersectSet, R 192
- IntFFE, R 567
- IntHexString, R 247
- Introducing new Viewer for the Online Help, *E 46*
- IntScalarProducts, R 783
- IntVecFFE, R 567
- InvariantBilinearForm, R 416
- InvariantElementaryAbelianSeries, R 354
- Invariant Forms, *R 416*
- InvariantLattice, R 417

- InvariantQuadraticForm, R 416
- InvariantSesquilinearForm, R 416
- InvariantSubgroupsElementaryAbelianGroup, R 360
- Inverse, R 283
- inverse, group homomorphism, R 370
 - matrix, R 217
 - of class function, R 740
- InverseAttr, R 283
- InverseClasses, R 704
- InverseGeneralMapping, R 293
- InverseImmutable, R 283
- InverseMap, R 778
- InverseMatMod, R 230
- InverseMutable, R 283
- InverseOp, R 283
- InverseRepresentative, R 409
- InverseSameMutability, R 283
- InverseSM, R 283
- Invoking the Help, *R 23*
- IRIX, R 800
- Irr, R 699
- irrationalities, R 153
- IrrBaumClausen, R 715
- IrrConlon, R 715
- IrrDixonSchneider, R 715
- Irreducibility Tests, *R 666*
- irreducible character, R 744
- irreducible characters, computation, R 718
- IrreducibleDifferences, R 751
- Irreducible Maximal Finite Integral Matrix Groups, *R 511*
- IrreducibleModules, for groups with pcgs, R 434
- IrreducibleRepresentations, R 716
- IrreducibleRepresentationsDixon, R 717
- IrreducibleSolvableGroup, R 511
- IrreducibleSolvableGroupMS, R 510
- Irreducible Solvable Matrix Groups, *R 510*
- Is16BitsFamily, R 326
- Is32BitsFamily, R 326
- Is8BitsFamily, R 326
- IsAbelian, R 312
 - for character tables, R 701
- IsAbelianNumberField, R 570
- IsAbelianNumberFieldPolynomialRing, R 653
- IsAbelianTom, R 679
- IsAdditiveElement, R 288
- IsAdditiveElementWithInverse, R 288
- IsAdditiveElementWithZero, R 288
- IsAdditiveGroup, R 540
- IsAdditiveGroupGeneralMapping, R 300
- IsAdditiveGroupHomomorphism, R 300
- IsAdditivelyCommutative, R 541
- IsAdditivelyCommutativeElement, R 290
- IsAdditivelyCommutativeElementCollColl, R 290
- IsAdditivelyCommutativeElementCollection, R 290
- IsAdditivelyCommutativeElementFamily, R 290
- IsAdditiveMagma, R 539
- IsAdditiveMagmaWithInverses, R 540
- IsAdditiveMagmaWithZero, R 539
- IsAlgebra, R 596
- IsAlgebraGeneralMapping, R 301
- IsAlgebraHomomorphism, R 301
- IsAlgebraicElement, R 661
- IsAlgebraicExtension, R 660
- IsAlgebraModuleElement, R 608
- IsAlgebraModuleElementCollection, R 608
- IsAlgebraModuleElementFamily, R 608
- IsAlgebraWithOne, R 596
- IsAlgebraWithOneGeneralMapping, R 301
- IsAlgebraWithOneHomomorphism, R 301
- IsAlphaChar, R 244
- IsAlternatingGroup, R 402
- IsAnticommutative, R 549
- IsAntisymmetricBinaryRelation, R 304
- IsAssociated, R 549
- IsAssociative, R 312
- IsAssociativeElement, R 290
- IsAssociativeElementCollColl, R 290
- IsAssociativeElementCollection, R 290
- IsAssocWord, R 319
- IsAssocWordWithInverse, R 319
- IsAssocWordWithOne, R 319
- IsAttributeStoringRep, P 35
- IsAutomorphismGroup, R 375
- IsBasicWreathLessThanOrEqual, R 322
- IsBasicWreathProductOrdering, R 274
- IsBasis, R 576
- IsBasisByNiceBasis, R 587
- IsBasisOfAlgebraModuleElementSpace, R 609
- IsBergerCondition, R 791
- IsBijection, T 78
- IsBijective, R 295
- IsBinaryRelation, R 303

- same as `IsEndoGeneralMapping`, R 303
- `IsBLetterAssocWordRep`, R 325
- `IsBLetterWordsFamily`, R 325
- `IsBlist`, R 204
- `IsBlockMatrixRep`, R 230
- `IsBool`, R 165
- `IsBound`, for lists, R 173
- `IsBound` and `Unbind` for Lists, R 173
- `IsBound` and `Unbind` for Records, R 255
- `IsBOundElmWPObj`, E 54
- `IsBoundGlobal`, R 45
- `IsBrauerTable`, R 694
- `IsBravaisGroup`, R 418
- `IsBuiltFromAdditiveMagmaWithInverses`, R 334
- `IsBuiltFromGroup`, R 334
- `IsBuiltFromMagma`, R 334
- `IsBuiltFromMagmaWithInverses`, R 334
- `IsBuiltFromMagmaWithOne`, R 334
- `IsBuiltFromSemigroup`, R 334
- `IsCanonicalBasis`, R 579
- `IsCanonicalBasisFullMatrixModule`, R 583
- `IsCanonicalBasisFullRowModule`, R 583
- `IsCanonicalNiceMonomorphism`, R 373
- `IsCanonicalPcgs`, R 426
- `IsCentral`, R 312
- `IsChainTypeGroup`, N 20
- `IsChar`, R 240
- `IsCharacter`, R 744
- `IsCharacteristicSubgroup`, R 337
- `IsCharacterTable`, R 694
- `IsCharacterTableInProgress`, R 694
- `IsCharCollection`, R 240
- `IsClassFunction`, R 735
- `IsClassFusionOfNormalSubgroup`, R 710
- `IsClosedStream`, R 96
- `IsCochain`, R 628
- `IsCochainCollection`, R 628
- `IsCollection`, R 257
- `IsCollectionFamily`, R 257
- `IsCommutative`, R 312
- `IsCommutativeElement`, R 290
- `IsCommutativeElementCollColl`, R 290
- `IsCommutativeElementCollection`, R 290
- `IsComponentObjectRep`, P 35
- `IsCompositionMappingRep`, R 293
- `IsConfluent`, R 332
 - for pc groups, R 439
- `IsConjugacyClassSubgroupsByStabilizerRep`, R 356
- `IsConjugacyClassSubgroupsRep`, R 356
- `IsConjugate`, R 344
- `IsConjugatorAutomorphism`, R 374
- `IsConjugatorIsomorphism`, R 374
- `IsConstantRationalFunction`, R 646
- `IsConstantTimeAccessGeneralMapping`, R 301
- `IsConstantTimeAccessList`, R 169
- `IsContainedInSpan`, R 581
- `IsCopyable`, R 111
- `IsCyc`, R 153
- `IsCyclic`, R 349
 - for character tables, R 701
- `IsCyclicTom`, R 679
- `IsCyclotomic`, R 153
- `IsCyclotomicMatrixGroup`, R 417
- `IsDenseList`, R 168
- `IsDiagonalMat`, R 219
- `IsDictionary`, N 10
- `IsDigitChar`, R 244
- `IsDirectoryPath`, R 92
- `IsDistributive`, R 549
- `IsDivisionRing`, R 559
- `IsDomain`, R 280
- `IsDoneIterator`, R 267
- `IsDoubleCoset`, R 342
- `IsDuplicateFree`, R 188
- `IsDuplicateFreeList`, R 188
- `IsDxLargeGroup`, R 719
- `IsElementaryAbelian`, R 349
- `IsElementOfFpMonoid`, R 531
- `IsElementOfFpSemigroup`, R 531
- `IsElementOfFreeMagmaRing`, R 637
- `IsElementOfFreeMagmaRingCollection`, R 637
- `IsElementOfFreeMagmaRingFamily`, R 637
- `IsElementOfMagmaRingModuloRelations`, R 639
- `IsElementOfMagmaRingModuloRelations-Collection`, R 639
- `IsElementOfMagmaRingModuloRelationsFamily`, R 639
- `IsElementOfMagmaRingModuloSpanOfZeroFamily`, R 639
- `IsEmpty`, R 261
- `IsEmptyString`, R 243
- `IsEndOfStream`, R 99
- `IsEndoGeneralMapping`, R 301
 - same as `IsBinaryRelation`, R 303

- IsEqualSet, R 191
- IsEquivalenceClass, R 306
- IsEquivalenceRelation, R 304
- IsEuclideanRing, R 551
- IsEvenInt, R 126
- IsExecutableFile, R 92
- IsExistingFile, R 92
- IsExtAElement, R 288
- IsExternalOrbit, R 393
- IsExternalSet, R 391
- IsExternalSubset, R 392
- IsExtLElement, R 288
- IsExtRElement, R 288
- IsFamilyPcgs, R 436
- IsFFE, R 565
- IsFFECollColl, R 565
- IsFFECollection, R 565
- IsField, R 559
- IsFieldControlledByGaloisGroup, R 562
- IsFieldHomomorphism, R 301
- IsFinite, R 261
 - for character tables, R 701
- IsFiniteDimensional, R 557
 - for matrix algebras, R 597
- IsFiniteFieldPolynomialRing, R 653
- IsFinitelyGeneratedGroup, R 351
- IsFiniteOrderElement, R 290
- IsFiniteOrderElementCollColl, R 290
- IsFiniteOrderElementCollection, R 290
- IsFiniteOrdersPcgs, R 422
- IsFixedStabilizer, R 411
- IsFLMLOR, R 596
- IsFLMLORWithOne, R 596
- IsFpGroup, R 447
- IsFpMonoid, R 531
- IsFpSemigroup, R 530
- IsFreeGroup, R 320
- IsFreeLeftModule, R 556
- IsFreeMagmaRing, R 637
- IsFreeMagmaRingWithOne, R 637
- IsFromFpGroupGeneralMappingByImages, R 379
- IsFromFpGroupHomomorphismByImages, R 379
- IsFromFpGroupStdGensGeneralMappingByImages, R 379
- IsFromFpGroupStdGensHomomorphismByImages, R 379
- IsFullHomModule, R 586
- IsFullMatrixModule, R 558
- IsFullRowModule, R 558
- IsFullSubgroupGLorSLRespectingBilinearForm, R 416
- IsFullSubgroupGLorSLRespectingQuadraticForm, R 416
- IsFullSubgroupGLorSLRespectingSesquilinearForm, R 416
- IsFunc, T 78
- IsFunction, R 63
- IsGaussianIntegers, R 572
- IsGaussianRationals, R 570
- IsGaussianSpace, R 581
- IsGaussInt, R 156
- IsGaussRat, R 156
- IsGeneralizedDomain, R 280
- IsGeneralizedRowVector, R 179
- IsGeneralLinearGroup, R 415
- IsGeneralMapping, R 301
- IsGeneralMappingFamily, R 302
- IsGeneratorsOfStruct, R 277
- IsGL, R 415
- IsGreensClass, R 524
- IsGreensDClass, R 524
- IsGreensDRelation, R 523
- IsGreensHClass, R 524
- IsGreensHRelation, R 523
- IsGreensJClass, R 524
- IsGreensJRelation, R 523
- IsGreensLClass, R 524
- IsGreensLessThanOrEqual, R 524
- IsGreensLRelation, R 523
- IsGreensRClass, R 524
- IsGreensRelation, R 523
- IsGreensRRelation, R 523
- IsGroup, R 336
- IsGroupGeneralMapping, R 299
- IsGroupGeneralMappingByAsGroupGeneralMappingByImages, R 378
- IsGroupGeneralMappingByImages, R 378
- IsGroupGeneralMappingByPcgs, R 379
- IsGroupHClass, R 525
- IsGroupHomomorphism, R 299
- IsGroupOfAutomorphisms, R 375
- IsGroupRing, R 637
- IsHandledByNiceBasis, R 558
 - for vector spaces, R 587
- IsHandledByNiceMonomorphism, R 373
- IsHash, N 11

- IsHasseDiagram, R 304
- IsHomCoset, N 14
- IsHomCosetOfAdditiveElt, N 14
- IsHomCosetOfFp, N 14
- IsHomCosetOfMatrix, N 14
- IsHomCosetOfPerm, N 14
- IsHomCosetOfTuple, N 14
- IsHomCosetToAdditiveElt, N 14
- IsHomCosetToAdditiveEltRep, N 14
- IsHomCosetToFp, N 14
- IsHomCosetToFpRep, N 14
- IsHomCosetToMatrix, N 14
- IsHomCosetToMatrixRep, N 14
- IsHomCosetToObjectRep, N 14
- IsHomCosetToPerm, N 14
- IsHomCosetToPermRep, N 14
- IsHomCosetToTuple, N 14
- IsHomCosetToTupleRep, N 14
- IsHomogeneousList, R 169
- IsIdempotent, R 283
- IsIdenticalObj, R 110, T 24
- IsInChain, N 20
- IsIncomparableUnder, R 270
- IsInducedFromNormalSubgroup, R 793
- IsInducedPcgs, R 425
- IsInducedPcgsWrtSpecialPcgs, R 432
- IsInfBitsFamily, R 326
- IsInfinity, R 156
- IsInjective, R 294
- IsInnerAutomorphism, R 374
- IsInputOutputStream, R 104
- IsInputStream, R 96
- IsInputTextNone, R 96
- IsInputTextStream, R 96
- IsInt, R 125
- IsIntegerMatrixGroup, R 417
- IsIntegers, R 125
- IsIntegralBasis, R 579
- IsIntegralCyclotomic, R 154
- IsIntegralRing, R 548
- IsInternallyConsistent, R 114
 - for character tables, R 709
 - for tables of marks, R 679
- IsIrreducibleCharacter, R 744
- IsIrreducibleRingElement, R 550
- IsIterator, R 267
- IsJacobianElement, R 290
- IsJacobianElementCollColl, R 290
- IsJacobianElementCollection, R 290
- IsJacobianRing, R 549
- IsLaurentPolynomial, R 646
- IsLaurentPolynomialDefaultRep, R 657
- IsLDistributive, R 548
- IsLeftAlgebraModuleElement, R 608
- IsLeftAlgebraModuleElementCollection, R 608
- IsLeftIdeal, R 546
- IsLeftIdealInParent, R 546
- IsLeftModule, R 555
- IsLeftModuleGeneralMapping, R 300
- IsLeftModuleHomomorphism, R 300
- IsLeftOperatorAdditiveGroup, R 555
- IsLeftSemigroupIdeal, R 522
- IsLeftSemigroupIdealEnumerator, R 522
- IsLeftVectorSpace, R 573
- IsLessThanOrEqualUnder, R 270
- IsLessThanUnder, R 270
- IsLetterAssocWordRep, R 325
- IsLetterWordsFamily, R 325
- IsLexicographicallyLess, R 194
- IsLieAbelian, R 618
- IsLieAlgebra, R 596
- IsLieMatrix, R 216
- IsLieNilpotent, R 618
- IsLieObject, R 613
- IsLieObjectCollection, R 613
- IsLieSolvable, R 618
- IsLinearMapping, R 300
- IsLinearMappingsModule, R 586
- IsList, R 168
- IsListDefault, R 179
- IsListOrCollection, R 258
- IsLookupDictionary, N 10
- IsLowerAlphaChar, R 244
- IsLowerTriangularMat, R 219
- IsMagma, R 308
- IsMagmaHomomorphism, R 298
- IsMagmaRingModuloRelations, R 639
- IsMagmaRingModuloSpanOfZero, R 639
- IsMagmaWithInverses, R 308
- IsMagmaWithInversesIfNonzero, R 308
- IsMagmaWithOne, R 308
- IsMapping, R 294
- IsMat, T 78
- IsMatchingSublist, R 188
- IsMatrix, R 215
- IsMatrixGroup, R 414

- IsMatrixModule, R 558
- IsMatrixSpace, R 581
- IsMinimalNonmonomial, R 796
- IsModuloPcgs, R 427
- IsMonoid, R 527
- IsMonomial, for characters, R 793
 - for character tables, R 701
 - for groups, R 793
 - for positive integers, R 794
- IsMonomialGroup, R 350
- IsMonomialMatrix, R 219
- IsMonomialNumber, R 794
- IsMultiplicativeElement, R 288
- IsMultiplicativeElementWithInverse, R 289
- IsMultiplicativeElementWithOne, R 288
- IsMultiplicativeElementWithZero, R 288
- IsMultiplicativeGeneralizedRowVector, R 179
- IsMultiplicativeZero, R 312
- IsMutable, R 112
- IsMutableBasis, R 580
- IsNaturalAlternatingGroup, R 401
- IsNaturalGL, R 415
- IsNaturalGLnZ, R 417
- IsNaturalSL, R 416
- IsNaturalSLnZ, R 417
- IsNaturalSymmetricGroup, R 401
- IsNearAdditiveElement, R 288
- IsNearAdditiveElementWithInverse, R 288
- IsNearAdditiveElementWithZero, R 288
- IsNearAdditiveGroup, R 539
- IsNearAdditiveMagma, R 539
- IsNearAdditiveMagmaWithInverses, R 539
- IsNearAdditiveMagmaWithZero, R 539
- IsNearlyCharacterTable, R 694
- IsNearRingElement, R 289
- IsNearRingElementWithInverse, R 289
- IsNearRingElementWithOne, R 289
- IsNegRat, R 141
- IsNilpotent, for character tables, R 701
 - for groups with pcgs, R 434
- IsNilpotentElement, R 625
- IsNilpotentGroup, R 349
- IsNilpotentTom, R 679
- IsNonassocWord, R 315
- IsNonassocWordCollection, R 315
- IsNonassocWordWithOne, R 315
- IsNonassocWordWithOneCollection, R 315
- IsNonnegativeIntegers, R 125
- IsNonSPGeneralMapping, R 302
- IsNonTrivial, R 261
- IsNormal, R 337
- IsNormalBasis, R 579
- IsNotIdenticalObj, R 111
- IsNumberField, R 570
- IsObject, R 109
- IsOddInt, R 126
- isomorphic, pc group, R 440
- IsomorphicSubgroups, R 377
- IsomorphismFpAlgebra, R 605
- IsomorphismFpGroup, R 455
 - for subgroups of fp groups, R 458
- IsomorphismFpGroupByGenerators, R 456
- IsomorphismFpGroupByGeneratorsNC, R 456
- IsomorphismFpGroupByPcgs, R 438
- IsomorphismFpSemigroup, R 531
- IsomorphismGroups, R 376
- IsomorphismMatrixAlgebra, R 605
- IsomorphismPcGroup, R 440
- IsomorphismPermGroup, R 400
 - for Imf matrix groups, R 517
- IsomorphismPermGroupImfGroup, R 518
- IsomorphismReesMatrixSemigroup, R 526
- IsomorphismRefinedPcGroup, R 440
- IsomorphismRepStruct, R 278
- isomorphisms, find all, R 377
- IsomorphismSCAlgebra, R 605
- IsomorphismSimplifiedFpGroup, R 458
- IsomorphismSpecialPcGroup, R 441
- Isomorphisms vs. Isomorphic Structures, *T* 84
- IsomorphismTransformationSemigroup, R 522
- IsomorphismTypeInfoOfFiniteSimpleGroup, R 350
- IsOne, R 282
- IsOperation, R 63
- IsOrdering, R 269
- IsOrderingOnFamilyOfAssocWords, R 270
- IsOrdinaryMatrix, R 215
- IsOrdinaryTable, R 694
- IsOutputStream, R 96
- IsOutputTextNone, R 97
- IsOutputTextStream, R 96
- IsPadicExtensionNumber, R 663
- IsPadicExtensionNumberFamily, R 663
- IsParentPcgsFamilyPcgs, R 436
- IsPartialOrderBinaryRelation, R 304
- IsPcGroup, R 437
- IsPcGroupGeneralMappingByImages, R 379

- IsPcGroupHomomorphismByImages, R 379
- IsPcgs, R 421
- IsPcgsCentralSeries, R 429
- IsPcgsElementaryAbelianSeries, R 429
- IsPcgsPCentralSeriesPGroup, R 429
- IsPerfect, for character tables, R 701
- IsPerfectGroup, R 350
- IsPerfectTom, R 679
- IsPerm, R 396
- IsPermCollColl, R 396
- IsPermCollection, R 396
- IsPermGroup, R 400
- IsPermGroupGeneralMappingByImages, R 379
- IsPermGroupHomomorphismByImages, R 379
- IsPGroup, R 351
- IsPNilpotent, R 351
- IsPolycyclicGroup, R 350
- IsPolynomial, R 646
- IsPolynomialDefaultRep, R 657
- IsPolynomialRing, R 653
- IsPosInt, R 125
- IsPositiveIntegers, R 125
- IsPosRat, R 141
- IsPreimagesByAsGroupGeneralMappingByImages, R 379
- IsPreOrderBinaryRelation, R 304
- IsPrime, R 550
- IsPrimeField, R 561
- IsPrimeInt, R 130
- IsPrimeOrdersPcgs, R 422
- IsPrimePowerInt, R 130
- IsPrimitive, R 390
- IsPrimitiveCharacter, R 792
- IsPrimitivePolynomial, R 647
- IsPrimitiveRootMod, R 136
- IsProbablyPrimeInt, R 130
- IsPseudoCanonicalBasisFullHomModule, R 586
- IsPSolvable, R 351
- IsPSolvableCharacterTable, R 710
- IsPSolvableCharacterTableOp, R 710
- IsPurePadicNumber, R 662
- IsPurePadicNumberFamily, R 662
- IsQuasiPrimitive, R 792
- IsQuaternion, R 597
- IsQuaternionCollColl, R 597
- IsQuaternionCollection, R 597
- IsQuickPositionList, R 203
- IsQuotientSemigroup, R 523
- IsRange, R 202
- IsRat, R 141
- IsRationalFunction, R 645
- IsRationalFunctionDefaultRep, R 656
- IsRationalFunctionsFamily, R 655
- IsRationalMatrixGroup, R 417
- IsRationals, R 141
- IsRationalsPolynomialRing, R 653
- IsRDistributive, R 549
- IsReadableFile, R 92
- IsReadOnlyGlobal, R 44
- IsRec, T 78
- IsRecord, R 251
- IsRecordCollColl, R 251
- IsRecordCollection, R 251
- IsReduced, R 333
- IsReductionOrdering, R 271
- IsReesCongruence, R 523
- IsReesCongruenceSemigroup, R 521
- IsReesMatrixSemigroup, R 525
- IsReesMatrixSemigroupElement, R 525
- IsReesZeroMatrixSemigroup, R 525
- IsReesZeroMatrixSemigroupElement, R 525
- IsReflexiveBinaryRelation, R 303
- IsRegular, R 390
- IsRegularDClass, R 525
- IsRegularSemigroup, R 521
- IsRegularSemigroupElement, R 521
- IsRelativelySM, R 795
- IsRestrictedLieAlgebra, R 623
- IsRewritingSystem, R 332
- IsRightAlgebraModuleElement, R 608
- IsRightAlgebraModuleElementCollection, R 608
- IsRightCoset, R 341
- IsRightIdeal, R 546
- IsRightIdealInParent, R 546
- IsRightModule, R 555
- IsRightOperatorAdditiveGroup, R 555
- IsRightSemigroupIdeal, R 522
- IsRightSemigroupIdealEnumerator, R 522
- IsRing, R 543
- IsRingElement, R 289
- IsRingElementWithInverse, R 289
- IsRingElementWithOne, R 289
- IsRingGeneralMapping, R 301
- IsRingHomomorphism, R 301
- IsRingWithOne, R 547
- IsRingWithOneGeneralMapping, R 301

- IsRingWithOneHomomorphism, R 301
- IsRootSystem, R 619
- IsRootSystemFromLieAlgebra, R 620
- IsRowModule, R 558
- IsRowSpace, R 581
- IsRowVector, R 208
- IsScalar, R 289
- IsSemiEchelonized, R 582
- IsSemigroup, R 520
- IsSemigroupCongruence, R 523
- IsSemigroupIdeal, R 522
- IsSemigroupIdealEnumerator, R 522
- IsSemiRegular, R 389
- IsSet, R 189, T 78
- IsShortLexLessThanOrEqual, R 322
- IsShortLexOrdering, R 272
- IsSimple, for character tables, R 701
- IsSimpleAlgebra, R 596
- IsSimpleGroup, R 350
- IsSimpleSemigroup, R 521
- IsSingleValued, R 294
- IsSL, R 415
- IsSolvable, for character tables, R 701
- IsSolvableGroup, R 350
- IsSolvableTom, R 679
- IsSortedList, R 188
- IsSpecialLinearGroup, R 415
- IsSpecialPcgs, R 431
- IsSPGeneralMapping, R 302
- IsSSortedList, R 189
- IsStandardGeneratorsOfGroup, R 684
- IsStraightLineProgElm, R 331
- IsStraightLineProgram, R 327
- IsStream, R 96
- IsString, R 240
- IsStringRep, R 243
- IsStruct, R 278
- IsSubgroup, R 337
- IsSubgroupFpGroup, R 447
- IsSubgroupOfWholeGroupByQuotientRep, R 459
- IsSubgroupSL, R 416
- IsSubmonoidFpMonoid, R 530
- IsSubnormal, R 338
- IsSubnormallyMonomial, R 795
- IsSubsemigroupFpSemigroup, R 530
- IsSubset, R 262
- IsSubsetBlist, R 205
- IsSubsetLocallyFiniteGroup, R 351
- IsSubsetSet, R 191
- IsSubspacesVectorSpace, R 574
- IsSubstruct, R 280
- IsSupersolvable, for character tables, R 701
 - for groups with pcgs, R 434
- IsSupersolvableGroup, R 350
- IsSurjective, R 295
- IsSyllableAssocWordRep, R 326
- IsSyllableWordsFamily, R 326
- IsSymmetricBinaryRelation, R 303
- IsSymmetricGroup, R 402
- IsTable, R 169
- IsTableOfMarks, R 675
- IsTableOfMarksWithGens, R 686
- IsToPcGroupGeneralMappingByImages, R 379
- IsToPcGroupHomomorphismByImages, R 379
- IsToPermGroupGeneralMappingByImages, R 379
- IsToPermGroupHomomorphismByImages, R 379
- IsTotal, R 294
- IsTotalOrdering, R 270
- IsTransformation, R 536
- IsTransformationCollection, R 536
- IsTransformationMonoid, R 522
- IsTransformationSemigroup, R 522
- IsTransitive, for characters, R 747
 - for class functions, R 747
 - for group actions, R 389
- IsTransitiveBinaryRelation, R 303
- IsTranslationInvariantOrdering, R 270
- IsTrivial, R 261
- IsTuple, R 292
- IsTwoSidedIdeal, R 546
- IsTwoSidedIdealInParent, R 546
- IsUEALatticeElement, R 631
- IsUEALatticeElementCollection, R 631
- IsUEALatticeElementFamily, R 631
- IsUniqueFactorizationRing, R 548
- IsUnit, R 549
- IsUnivariatePolynomial, R 646
- IsUnivariatePolynomialRing, R 654
- IsUnivariateRationalFunction, R 646
- IsUnknown, R 163
- IsUpperAlphaChar, R 244
- IsUpperTriangularMat, R 219
- IsValidIdentifier, R 42
- IsVector, R 289
- IsVectorSpace, R 573
- IsVirtualCharacter, R 744

IsWeightLexOrdering, R 273
 IsWeightRepElement, R 632
 IsWeightRepElementCollection, R 632
 IsWeightRepElementFamily, R 632
 IsWellFoundedOrdering, R 269
 IsWeylGroup, R 621
 IsWholeFamily, R 261
 IsWLetterAssocWordRep, R 325
 IsWLetterWordsFamily, R 325
 IsWord, R 314
 IsWordCollection, R 315
 IsWordWithInverse, R 314
 IsWordWithOne, R 314
 IsWreathProductOrdering, R 274
 IsWritableFile, R 92
 IsZero, R 282
 IsZeroGroup, R 521
 IsZeroSimpleSemigroup, R 521
 IsZeroSquaredElement, R 290
 IsZeroSquaredElementCollColl, R 290
 IsZeroSquaredElementCollection, R 290
 IsZeroSquaredRing, R 549
 IsZmodnZObj, R 133
 IsZmodnZObjNonprime, R 133
 IsZmodpZObj, R 133
 IsZmodpZObjLarge, R 133
 IsZmodpZObjSmall, R 133
 Iterated, R 199
 Iterator, R 266
 IteratorByBasis, R 578
 IteratorList, R 267
 Iterators, R 266
 IteratorSorted, R 267

J

j_N , R 158
 Jacobi, R 136
 JenningsLieAlgebra, R 624
 JenningsSeries, R 354
 JoinEquivalenceRelations, R 306
 JoinStringsWithSeparator, R 246
 JordanDecomposition, R 227

K

k_N , R 158
 KappaPerp, R 625
 kernel, T 55
 KernelOfAdditiveGeneralMapping, R 300
 KernelOfCharacter, R 746

KernelOfMultiplicativeGeneralMapping, R 299
 KernelOfTransformation, R 537
 KeyDependentOperation, E 48
 Key Dependent Operations, E 48
 Keywords, R 41
 KillingMatrix, R 625
 KnownAttributesOfObject, R 120, T 75
 Known Problems of the Configure Process, R 805
 KnownPropertiesOfObject, R 123, T 75
 KnownTruePropertiesOfObject, R 123, T 75
 KnowsDictionary, N 10
 KnowsHowToDecompose, R 367
 KnuthBendixRewritingSystem, R 534
 Krasner-Kaloujnine theorem, R 491
 KroneckerProduct, R 220
 KuKGenerators, R 491

L

l_N , R 158
 Labels and References, E 16
 Lambda, R 134
 Language Overview, R 39
 larger or equal, R 47
 larger test, R 47
 LargestElementGroup, R 363
 LargestElementStabChain, R 409
 LargestMovedPoint, R 397
 LargestUnknown, R 163
 last, R 64, T 23
 last2, T 23
 last3, T 23
 LastSystemError, R 89
 LaTeXStringDecompositionMatrix, R 708
 lattice base reduction, R 237
 lattice basis reduction, for virtual characters, R 751
 LatticeByCyclicExtension, R 360
 LatticeGeneratorsInUEA, R 631
 LatticeReduction, R 236
 LatticeSubgroups, R 358
 LatticeSubgroupsByTom, R 672
 LaurentPolynomialByCoefficients, R 652
 LaurentPolynomialByExtRep, R 658
 Laurent Polynomials, R 651
 LClassOfHClass, R 524
 Lcm, R 553
 LcmInt, R 129
 LcmOp, R 553
 LeadCoeffsIGS, R 426

- LeadingCoefficient, R 648
- LeadingExponentOfPcElement, R 423
- LeadingMonomial, R 648
- LeadingMonomialPosExtRep, R 655
- Leaving GAP, *R 72*
- leaving GAP, T 18
- LeftActingAlgebra, R 608
- LeftActingDomain, R 556
- LeftActingRingOfIdeal, R 547
- LeftAlgebraModule, R 607
- LeftAlgebraModuleByGenerators, R 606
- left cosets, R 341
- LeftDerivations, R 615
- LeftIdeal, R 545
- LeftIdealByGenerators, R 546
- LeftIdealNC, R 546
- LeftModuleByGenerators, R 556
- LeftModuleByHomomorphismToMatAlg, R 610
- LeftModuleGeneralMappingByImages, R 584
- LeftModuleHomomorphismByImages, R 584
- LeftModuleHomomorphismByImagesNC, R 584
- LeftModuleHomomorphismByMatrix, R 585
- LeftQuotient, R 285
 - for words, R 322
- LeftShiftRowVector, R 212
- Legacy Operations, *R 394*
- Legendre, R 136
- Length, R 189
 - of an associative word, R 323
- length, of a word, R 323
- LengthsTom, R 676
- LengthWord, T 78
- LengthWPObj, E 54
- LenstraBase, R 570
- LessThanFunction, R 270
- LessThanOrEqualFunction, R 270
- LetterRepAssocWord, R 326
- LevelsOfGenerators, R 274
- LeviMalcevDecomposition, R 602
 - for Lie algebras, R 618
- Lexical Structure, *R 40*
- LexicographicOrdering, R 271
- LGFirst, R 431
- LGLayers, R 431
- LGLength, R 431
- LGWeights, R 431
- library tables, R 692
- LieAlgebra, R 614
- LieAlgebraByStructureConstants, R 614
- LieBracket, R 285
- LieCenter, R 616
- LieCentralizer, R 616
- LieCentre, R 616
- LieCoboundaryOperator, R 629
- LieDerivedSeries, R 617
- LieDerivedSubalgebra, R 616
- LieFamily, R 613
- LieLowerCentralSeries, R 617
- LieNilRadical, R 617
- LieNormalizer, R 616
- LieObject, R 613
- Lie objects, *R 613*
- LieSolvableRadical, R 617
- LieUpperCentralSeries, R 617
- LiftedInducedPcgs, R 428
- LiftedPcElement, R 428
- LinearAction, R 432
- LinearActionLayer, R 432
- LinearCharacters, R 700
- LinearCombination, R 578
- LinearCombinationPcgs, R 423
- LinearIndependentColumns, R 236
- Linear Mappings, *R 300*
- LinearOperation, R 432
- LinearOperationLayer, R 432
- Line Editing, *R 73*
- line editing, T 19
- LinesOfStraightLineProgram, R 328
- Linux, R 800
- List, R 196
- list and non-list, difference, R 181
 - left quotient, R 184
 - mod, R 183
 - product, R 182
 - quotient, R 183
- List Assignment, *R 171*
- list assignment, operation, R 170
- ListBlist, R 204
- list boundedness test, operation, R 170
- List Categories, *R 168*
- list element, access, R 170
 - assignment, R 171
 - operation, R 170
- List Elements, *R 170*
- list environment, compact description, E 22
- description, E 21

- ordered, E 22
 - unordered, E 22
 - list equal, comparison, R 177
 - ListN, R 199
 - list of available books, R 24
 - List Operations, *T 35*
 - ListPerm, R 398
 - lists, dense, T 28
 - strictly sorted, T 31
 - lists, identical, *T 29*
 - plain, *T 27*
 - Lists and Collections, *R 258*
 - list smaller, comparison, R 178
 - ListStabChain, R 409
 - list unbind, operation, R 170
 - ListWithIdenticalEntries, R 185
 - ListX, R 199
 - LLL, R 751
 - LLL algorithm, for Gram matrices, R 237
 - for vectors, R 236
 - for virtual characters, R 751
 - LLLReducedBasis, R 236
 - LLLReducedGramMat, R 237
 - LoadDynamicModule, R 35
 - LOADED_PACKAGES, E 41
 - Loading a GAP Package, *R 821*
 - loading a saved workspace, R 37
 - local, R 55
 - Local Variables, *T 41*
 - logarithm, discrete, R 135
 - of a root of unity, R 156
 - LogFFE, R 567
 - logical, R 165
 - Logical Implications, *P 15*
 - logical operations, R 166
 - LogInt, R 127
 - LogMod, R 135
 - LogTo, R 94
 - for streams, R 101
 - stop logging, R 94
 - LongestWeylWordPerm, R 622
 - LookupDictionary, N 10
 - loop, read eval print, R 64
 - loop, for, R 52
 - repeat, R 52
 - while, R 51
 - loop over iterator, R 54
 - loop over object, R 54
 - loop over range, R 53
 - loops, leaving, R 54
 - restarting, R 55
 - loops, for, *T 33*
 - while, *T 33*
 - LowercaseString, R 245
 - LowerCentralSeriesOfGroup, R 354
 - Low Index Subgroups, *R 454*
 - LowIndexSubgroupsFpGroup, R 454
 - Low Level Access Functions for Weak Pointer Objects, *E 54*
 - Low Level Routines to Modify and Create Stabilizer Chains, *R 410*
 - Lucas, R 151
- ## M
- m_N , R 158
 - Macintosh, R 811
 - MacOS, R 811
 - Magma, R 308
 - MagmaByGenerators, R 309
 - MagmaByMultiplicationTable, R 310
 - Magma Categories, *R 308*
 - MagmaElement, R 310
 - Magma Generation, *R 308*
 - MagmaHomomorphismByFunctionNC, R 298
 - Magma Homomorphisms, *R 298*
 - MagmaRingModuloSpanOfZero, R 639
 - Magma Rings modulo Relations, *R 639*
 - Magma Rings modulo the Span of a Zero Element, *R 639*
 - Magas Defined by Multiplication Tables, *R 310*
 - MagmaWithInverses, R 309
 - MagmaWithInversesByGenerators, R 309
 - MagmaWithInversesByMultiplicationTable, R 310
 - MagmaWithOne, R 308
 - MagmaWithOneByGenerators, R 309
 - MagmaWithOneByMultiplicationTable, R 310
 - Main Loop, *R 64*
 - MakeConfluent, R 333
 - MakeHomChain, N 22
 - MakeImmutable, R 112
 - makeindex, E 27
 - MAKE1b11, R 729
 - MakeReadOnlyGlobal, R 44
 - MakeReadWriteGlobal, R 44
 - Making transformation semigroups, *R 522*

- manual.bbl, E 27
- manual.bib, E 27
- manual.dvi, E 27
- manual.lab, E 27
- manual.mst, E 27
- manual.six, E 27
- manual.tex, E 27
- Manual Conventions, *R 21*
- manualindex, E 27
- map, parametrized, *R 777*
- MappedWord, *R 316*
- MappingByFunction, *R 292*
- MappingPermListList, *R 398*
- Mappings that Respect Addition, *R 299*
- Mappings that Respect Multiplication, *R 298*
- Mappings which are Compatible with Algebraic Structures, *R 298*
- maps, *R 769*
- maps-to operator, *T 24*
- MarksTom, *R 675*
- MatAlgebra, *R 593*
- MatClassMultCoeffsCharTable, *R 712*
- mathematics alignments, *E 24*
- mathematics displays, *E 24*
- MathieuGroup, *R 494*
- MatLieAlgebra, *R 615*
- matrices, *T 36*
 - commutator, *R 217*
- Matrices as Basis of a Row Space, *R 225*
- Matrices as Linear Mappings, *R 226*
- Matrices over Finite Fields, *R 228*
- Matrices Representing Linear Equations and the Gaussian Algorithm, *R 222*
- MatrixAlgebra, *R 593*
- MatrixAutomorphisms, *R 726*
- matrix automorphisms, *R 772*
- MatrixByBlockMatrix, *R 230*
- Matrix Constructions, *R 219*
- Matrix Groups in Characteristic 0, *R 417*
- MatrixLieAlgebra, *R 615*
- MatrixOfAction, *R 609*
- matrix spaces, *R 581*
- MatScalarProducts, *R 745*
- MatTom, *R 678*
- MaximalAbelianQuotient, *R 356*
- MaximalBlocks, *R 390*
- MaximalNormalSubgroups, *R 357*
- MaximalSubgroupClassReps, *R 357*
- MaximalSubgroups, *R 357*
 - for groups with pcgs, *R 434*
- MaximalSubgroupsLattice, *R 358*
- MaximalSubgroupsTom, *R 682*
- Maximum, *R 195*
- MaximumList, *R 195*
- MeatAxe Modules, *R 665*
- MeetEquivalenceRelations, *R 306*
- MeetMaps, *R 780*
- MeetPartitionStrat, *E 61*
- meet strategy, *E 61*
- Membership Test for Collections, *R 264*
- Membership Test for Lists, *R 177*
- method, *P 12*
- Method Installation, *P 12*
- methods, *T 72*
 - immediate, *T 74*
 - selection, *T 73*
 - true, *T 74*
- MinimalElementCosetStabChain, *R 409*
- MinimalGeneratingSet, *R 363*
 - for groups with pcgs, *R 434*
- MinimalNonmonomialGroup, *R 796*
- Minimal Nonmonomial Groups, *R 796*
- MinimalPolynomial, *R 650*
 - over a field, *R 562*
 - over a ring, *R 650*
- Minimal Polynomials, *R 650*
- MinimalStabChain, *R 407*
- MinimalSupergroupsLattice, *R 359*
- MinimalSupergroupsTom, *R 682*
- MinimizedBombieriNorm, *R 651*
- Minimum, *R 195*
- MinimumList, *R 195*
- MinusCharacter, *R 786*
- Miscellaneous, *R 139*
- MOCChars, *R 732*
- MOCString, *R 731*
- MOCTable, *R 730*
- mod, integers, *R 132*
 - laurent polynomials, *R 644*
 - lists, *R 183*
 - rationals, *R 48*
- mod, *R 48*
 - arithmetic operators, *R 48*
 - for character tables, *R 698*
 - residue class rings, *R 132*
- modular inverse, *R 48*

- modular remainder, R 48
- modular roots, R 138
- ModuleByRestriction, R 611
- Module Homomorphisms, R 667
- ModuleOfExtension, R 442
- Modules over Lie Algebras and Their Cohomology, R 628
- Modules over Semisimple Lie Algebras, R 630
- modulo, R 48
 - arithmetic operators, R 48
 - for pcgs, R 427
 - residue class rings, R 132
- ModuloPcgs, R 427
- MoebiusMu, R 138
- MoebiusTom, R 678
- Molien Series, R 758
- MolienSeries, R 758
- MolienSeriesInfo, R 759
- MolienSeriesWithGivenDenominator, R 760
- Monoid, R 527
- MonoidByGenerators, R 527
- MonoidByMultiplicationTable, R 528
- MonoidOfRewritingSystem, R 534
- MonomialRevLexicoLess, R 655
- MonomialTotalDegreeLess, R 654
- monomorphisms, find all, R 377
- MorClassLoop, R 377
- More about Boolean Lists, R 206
- More About Global Variables, R 44
- More about Tables of Marks, R 670
- MostFrequentGeneratorFpGroup, R 452
- MovedPoints, R 397
- Moved Points of Permutations, R 397
- MTX.BasesCompositionSeries, R 666
- MTX.BasesMaximalSubmodules, R 666
- MTX.BasesMinimalSubmodules, R 666
- MTX.BasesMinimalSupermodules, R 666
- MTX.BasesSubmodules, R 666
- MTX.BasisRadical, R 666
- MTX.BasisSocle, R 666
- MTX.CollectedFactors, R 667
- MTX.CompositionFactors, R 666
- MTX.DegreeSplittingField, R 666
- MTX.Dimension, R 665
- MTX.Distinguish, R 668
- MTX.Field, R 665
- MTX.Generators, R 665
- MTX.Homomorphism, R 667
- MTX.Homomorphisms, R 668
- MTX.InducedAction, R 667
- MTX.InducedActionFactorMatrix, R 667
- MTX.InducedActionFactorModule, R 667
- MTX.InducedActionMatrix, R 667
- MTX.InducedActionMatrixNB, R 667
- MTX.InducedActionSubmodule, R 667
- MTX.InducedActionSubmoduleNB, R 667
- MTX.IsAbsolutelyIrreducible, R 666
- MTX.IsEquivalent, R 667
- MTX.IsIrreducible, R 666
- MTX.Isomorphism, R 667
- MTX.NormedBasisAndBaseChange, R 667
- MTX.ProperSubmoduleBasis, R 666
- MTX.SubmoduleGModule, R 666
- multiplication, R 48
 - matrices, R 217
 - matrix and matrix list, R 218
 - matrix and scalar, R 216
 - matrix and vector, R 217
 - operation, R 285
 - scalar and matrix, R 216
 - scalar and matrix list, R 217
 - scalar and vector, R 209
 - vector and matrix, R 216
 - vector and matrix list, R 218
 - vector and scalar, R 209
 - vectors, R 209
- MultiplicationTable, R 310
- Multiplicative Arithmetic for Lists, R 182
- Multiplicative Arithmetic Functions, R 138
- MultiplicativeNeutralElement, R 312
- multiplicative order of an integer, R 135
- MultiplicativeZero, R 312
- MultiplicativeZeroOp, R 282
- multiplicity, of constituents of a group character, R 745
- multiplier, R 366
- multisets, R 190
- Multivariate Polynomials, R 649
- MultRowVector, R 211
- Murnaghan components, R 757
- Mutability and Copyability, R 111
- Mutability and Copying, P 27
- Mutability Status and List Arithmetic, R 184
- Mutable Bases, R 579
- MutableBasis, R 580
- MutableBasisOfClosureUnderAction, R 599

- MutableBasisOfIdealInNonassociativeAlgebra, R 600
- MutableBasisOfNonassociativeAlgebra, R 600
- MutableIdentityMat, R 221
- MutableNullMat, R 221
- N**
- n_k , R 158
- Name, R 114
- NameFunction, R 61
- NameRNam, R 256
- NamesFilter, R 117
- NamesGVars, R 45
- NamesOfComponents, P 22
- NamesOfFusionSources, R 776
- NamesSystemGVars, R 45
- NamesUserGVars, R 45
- Naming Conventions, *T 79*
- NaturalCharacter, R 743
- Natural Embeddings related to Magma Rings, *R 638*
- NaturalHomomorphismByGenerators, R 298
- NaturalHomomorphismByIdeal, R 604
- NaturalHomomorphismByNormalSubgroup, R 355
- NaturalHomomorphismByNormalSubgroupNC, R 355
- NaturalHomomorphismBySubAlgebraModule, R 611
- NaturalHomomorphismBySubspace, R 585
- NearAdditiveGroup, R 540
- NearAdditiveGroupByGenerators, R 540
- NearAdditiveMagma, R 540
- NearAdditiveMagmaByGenerators, R 540
- NearAdditiveMagmaWithZero, R 540
- NearAdditiveMagmaWithZeroByGenerators, R 540
- NearlyCharacterTablesFamily, R 696
- negative number, R 48
- NegativeRoots, R 620
- NegativeRootVectors, R 620
- NestingDepthA, R 180
- NestingDepthM, R 180
- New Arithmetic Operations vs. New Objects, *P 61*
- NewAttribute, P 18
 - example, P 35
 - mutable, P 18
- NewCategory, P 17
- NewDictionary, N 10
- NewFamily, P 20
- NewFilter, P 19
- NewInfoClass, R 80
- newline, R 40
- newline character, R 242
- NewmanInfinityCriterion, R 463
- NewOperation, P 19
- New Presentations and Presentations for Subgroups, *R 458*
- NewProperty, P 18
- NewRepresentation, P 17
 - example, P 35
- NewType, P 21
- NextIterator, R 267
- NextPrimeInt, R 130
- NiceBasis, R 587
- NiceBasisFiltersInfo, R 588
- NiceFreeLeftModule, R 586
- NiceFreeLeftModuleInfo, R 587
- NiceMonomorphism, R 373
- NiceMonomorphismAutomGroup, R 376
- Nice Monomorphisms, *R 372, T 56*
- NiceObject, R 373
- NiceVector, R 586
- NilpotencyClassOfGroup, R 349
- NilpotentQuotientOfFpLieAlgebra, R 627
- NK, R 158
- NOAUTO, R 822
- NOfCyc, T 78
- NonnegativeIntegers, R 125
- NonnegIntScalarProducts, R 783
- NonNilpotentElement, R 625
- Norm, R 562
 - of character, R 745
- NormalBase, R 563
- NormalClosure, R 345
- NormalFormIntMat, R 234
- Normal Forms over the Integers, *R 232*
- NormalIntersection, R 345
- NormalizedElementOfMagmaRingModulo-Relations, R 639
- NormalizedWhitespace, R 246
- Normalizer, R 345
- normalizer, R 344
- NormalizerInGLnZ, R 418
- NormalizerInGLnZBravaisGroup, R 418
- NormalizersTom, R 680
- NormalizerTom, R 680
- NormalizeWhitespace, R 246
- NormalSeriesByPcgs, R 429
- Normal Structure, *R 344*
- NormalSubgroupClasses, R 733

- NormalSubgroupClassesInfo, R 732
 - NormalSubgroups, R 357
 - NormedRowVector, R 209
 - NormedRowVectors, R 583
 - not, R 167
 - Notions of Generation, *T* 69
 - NrArrangements, R 145
 - NrBasisVectors, R 580
 - NrCombinations, R 145
 - NrConjugacyClasses, R 344
 - for character tables, R 701
 - NrConjugacyClassesGL, R 498
 - NrConjugacyClassesGU, R 498
 - NrConjugacyClassesPGL, R 498
 - NrConjugacyClassesPGU, R 498
 - NrConjugacyClassesPSL, R 498
 - NrConjugacyClassesPSU, R 498
 - NrConjugacyClassesSL, R 498
 - NrConjugacyClassesSLIsogeneous, R 498
 - NrConjugacyClassesSU, R 498
 - NrConjugacyClassesSUIsogeneous, R 498
 - NrDerangements, R 148
 - NrInputsOfStraightLineProgram, R 328
 - NrMovedPoints, R 397
 - NrOrderedPartitions, R 149
 - NrPartitions, R 149
 - NrPartitionsSet, R 148
 - NrPartitionTuples, R 151
 - NrPermutationsList, R 147
 - NrPolyhedralSubgroups, R 711
 - NrPrimitiveGroups, R 509
 - NrRestrictedPartitions, R 150
 - NrSubsTom, R 676
 - NrTransitiveGroups, R 500
 - NrTuples, R 147
 - NrUnorderedTuples, R 146
 - NullAlgebra, R 593
 - NullMat, R 219
 - NullspaceMat, R 222
 - NullspaceMatDestructive, R 222
 - NullspaceModQ, R 230
 - Number, R 197
 - number, Bell, R 144
 - binomial, R 143
 - Stirling, of the first kind, R 144
 - Stirling, of the second kind, R 145
 - NumberArgumentsFunction, R 61
 - NumberFFVector, R 211
 - number field, R 570
 - number fields, Galois group, R 571
 - NumberIrreducibleSolvableGroups, R 510
 - NumberPerfectGroups, R 505
 - NumberPerfectLibraryGroups, R 505
 - NumberSmallGroups, R 502
 - NumberSyllables, R 324
 - Numerator, T 78
 - numerator, of a rational, R 142
 - NumeratorOfModuloPcgs, R 427
 - NumeratorOfRationalFunction, R 645
 - NumeratorRat, R 142
 - Numerical Group Attributes, *R* 352
- ## O
- O, Operation mark-up, E 17
 - $O_p(G)$, see PCore, R 345
 - ObjByExtRep, P 26, R 632
 - Objectify, P 21
 - ObjectifyWithAttributes, P 21
 - Objects, *R* 109
 - objects, T 22
 - objects, vs. elements, *T* 23
 - vs. variables, *T* 22
 - OCOneCocycles, R 365
 - octal character codes, R 242
 - OctaveAlgebra, R 593
 - od, R 52
 - OldGeneratorsOfPresentation, R 480
 - Omega, R 349
 - ONanScottType, R 402
 - OnBreak, R 68
 - OnBreakMessage, R 69
 - One, N 18, R 281
 - OneAttr, R 281
 - OneCoboundaries, R 364
 - OneCocycles, R 363
 - one cohomology, R 363
 - OneFactorBound, R 651
 - OneImmutable, R 281
 - OneIrreducibleSolvableGroup, R 511
 - OneLibraryGroup, R 500
 - OneMutable, R 281
 - OneOfPcgs, R 422
 - OneOp, R 281
 - OnePrimitiveGroup, R 500
 - OneSameMutability, R 281
 - OneSM, R 281

- OneSmallGroup, R 502
- OneTransitiveGroup, R 500
- OnIndeterminates, R 650
 - as a permutation action, R 382
- OnLeftInverse, R 381
- OnLines, R 382
 - example, R 495
- OnPairs, R 381
- OnPoints, R 381
- OnRight, R 381
- OnSets, R 381
- OnSetsDisjointSets, R 381
- OnSetsSets, R 381
- OnSetsTuples, R 381
- OnSubspacesByCanonicalBasis, R 383
- OnTuples, R 381
- OnTuplesSets, R 381
- OnTuplesTuples, R 382
- Operation, R 394
- operation, P 12
- OperationAlgebraHomomorphism, R 605
- Operational Structure of Domains, R 275
- Operation Functions, E 50
- OperationHomomorphism, R 394
- operations, T 75
 - for booleans, R 166
- Operations and Attributes for Vector Spaces, R 574
- Operations and Mathematical Terms, P 15
- Operations and Methods, P 12
- Operations applicable to All Streams, R 97
- Operations Concerning Blocks, R 706
- Operations for (Near-)Additive Magmas, R 541
- Operations for Abelian Number Fields, R 570
- operations for algebraic elements, R 660
- Operations for Associative Words, R 322
- Operations for Associative Words by their Syllables, R 324
- Operations for Booleans, R 166
- Operations for Brauer Characters, R 766
- Operations for Class Functions, R 744
- Operations for Collections, R 262
- Operations for Cyclotomics, R 153
- Operations for Domains, R 280
- Operations for Finite Field Elements, R 566
- Operations for Finitely Presented Groups, R 449
- Operations for Group Homomorphisms, R 370
- Operations for Input Streams, R 97
- Operations for Lists, R 192
- Operations for Output Streams, R 100
- Operations for Pc Groups, R 441
- Operations for Rational Functions, R 644
- Operations for Special Kinds of Bases, R 579
- Operations for Stabilizer Chains, R 408
- Operations for Vector Space Bases, R 577
- Operations for Words, R 316
- Operations on elements of the algebra, R 333
- Operations on hom cosets, N 15
- Operations on rewriting systems, R 332
- Operations Records, T 81
- Operations to Evaluate Strings, R 247
- Operations to Produce or Manipulate Strings, R 245
- Operations vs. Dispatcher Functions, T 82
- Operations which have Special Methods for Groups with Pcgs, R 434
- operators, R 42, T 20
 - arithmetic, R 48
 - associativity, R 49
 - for cyclotomics, R 157
 - for lists, R 178
 - precedence, R 48
- Operators for Character Tables, R 698
- Operators for Matrices, R 216
- Operators for Row Vectors, R 208
- Optimization and Compiler Options, R 805
- options, R 797
 - command line, filenames, R 30
 - command line, internal, R 31
- options, under UNIX, R 28
- or, R 166
- Orbit, R 383, T 77
- OrbitFusions, R 777
- OrbitGenerators, N 17
- OrbitGeneratorsInv, N 17
- OrbitGeneratorsOfGroup, N 21
- OrbitishF0, E 51
- OrbitLength, R 384
- OrbitLengths, R 384
- OrbitLengthsDomain, R 384
- OrbitPerms, R 400
- OrbitPowerMaps, R 772
- Orbits, E 50
 - operation/attribute, R 383
- Orbits, R 383
- OrbitsDomain, R 383
- OrbitsishOperation, E 50
- OrbitsPerms, R 400

- OrbitStabChain, R 409
 - OrbitStabilizer, R 384
 - OrbitStabilizerAlgorithm, R 385
 - Orbit Stabilizer Methods for Polycyclic Groups, *R 433*
 - Order, R 284, T 78
 - of a class function, R 741
 - order, of a group, R 335
 - of a list, collection or domain, R 262
 - of the prime residue group, R 134
 - OrderedPartitions, R 149
 - ordered partitions, *E 57*
 - ordering, booleans, R 165
 - of records, R 254
 - OrderingByLessThanFunctionNC, R 269
 - OrderingByLessThanOrEqualFunctionNC, R 269
 - OrderingOfRewritingSystem, R 332
 - OrderingOnGenerators, R 271
 - OrderingsFamily, R 269
 - Orderings on families of associative words, *R 270*
 - OrderMod, R 135
 - OrderOfRewritingSystem, R 332
 - OrdersClassRepresentatives, R 702
 - OrdersTom, R 676
 - Ordinal, R 248
 - ordinary character, R 744
 - OrdinaryCharacterTable, R 700
 - OrthogonalComponents, R 757
 - Orthogonal Embeddings, *R 238*
 - OrthogonalEmbeddings, R 238
 - OrthogonalEmbeddingsSpecialDimension, R 753
 - OSF, R 800
 - Other Filters, *R 123*
 - Other Operations Applicable to any Object, *R 114*
 - Other Operations for Character Tables, *R 709*
 - Other Operations for Tables of Marks, *R 679*
 - output, suppressing, R 64
 - OutputLogTo, R 94
 - for streams, R 101
 - stop logging output, R 94
 - OutputTextFile, R 102
 - OutputTextNone, R 105
 - OutputTextString, R 103
 - OutputTextUser, R 103
 - overload, P 15
- P**
- P, Property mark-up, E 17
 - p -group, R 351
 - package, R 819
 - Package Completion, *E 41*
 - PadicCoefficients, R 236
 - PadicExtensionNumberFamily, R 663
 - PadicNumber, R 663
 - for pure padics, R 662
 - Pager, R 26
 - Parametrized, R 779
 - Parametrized Maps, *R 777*
 - parametrized maps, R 769
 - Parent, R 279
 - ParentPcgs, R 425
 - Parents, *R 279*
 - Parents and Subgroups, *T 82*
 - Partial Methods, *P 13*
 - partial order, R 304
 - PartialOrderByOrderingFunction, R 305
 - PartialOrderOfHasseDiagram, R 304
 - Partitions, R 149
 - partitions, improper, of an integer, R 149
 - ordered, of an integer, R 149
 - restricted, of an integer, R 150
 - PartitionsGreatestEQ, R 150
 - PartitionsGreatestLE, R 150
 - PartitionsSet, R 148
 - PartitionTuples, R 151
 - PcElementByExponents, R 423
 - PcElementByExponentsNC, R 423
 - PCentralLieAlgebra, R 624
 - PCentralSeries, R 354
 - PcGroupCode, R 444
 - PcGroupCodeRec, R 444
 - PcGroupFpGroup, R 438
 - Pc groups versus fp groups, *R 437*
 - PcGroupWithPcgs, R 440
 - Pcgs, R 421
 - Pcgs.OrbitStabilizer, R 433
 - Pcgs and Normal Series, *R 428*
 - PcgsByPcSequence, R 421
 - PcgsByPcSequenceNC, R 421
 - PcgsCentralSeries, R 429
 - PcgsChiefSeries, R 429
 - PcgsElementaryAbelianSeries, R 429
 - PcgsPCentralSeriesPGroup, R 429
 - PClassPGroup, R 351
 - PCore, R 345
 - PcSeries, R 422

- PerfectGroup, R 504
- perfect groups, R 504
- PerfectIdentification, R 505
- PerfectResiduum, R 347
- Permanent, R 152
- Permanent of a Matrix, *R 152*
- PermBounds, R 766
- PermCharInfo, R 761
- PermCharInfoRelative, R 762
- PermChars, R 762
- PermCharsTom, R 688
- PermComb, R 766
- PermGroupOps.ElementProperty, T 78
- PermLeftQuoTransformation, R 538
- PermList, R 398
- PermListList, R 194
- Permutation, R 388
- PermutationCharacter, R 743
- permutation character, R 788
- permutation characters, possible, R 760
- PermutationCycle, R 388
- Permutation groups, *T 44*
- PermutationMat, R 220
- PermutationsFamily, R 396
- Permutations Induced by Elements and Cycles,
R 388
- PermutationsList, R 147
- PermutationTom, R 674
- Permuted, R 196
 - as a permutation action, R 382
 - for class functions, R 741
- PGL, R 497
- PGU, R 497
- Phi, R 134
- Plain Lists, *T 27*
- Plain Records, *T 38*
- point stabilizer, R 384
- Polycyclic Generating Systems, *R 420*
- PolynomialByExtRep, R 657
- PolynomialCoefficientsOfPolynomial, R 648
- Polynomial Factorization, *R 650*
- Polynomial Reduction, *R 654*
- PolynomialReduction, function, R 654
- PolynomialRing, R 652
- Polynomial Rings, *R 652*
- Polynomials, *T 84*
- Polynomials as Univariate Polynomials in one
Indeterminate, *R 648*
- Polynomials over the Rationals, *R 651*
- PopOptions, R 87
- Portability, *R 89*
- Porting GAP, *R 814*
- Position, R 185, T 78
- Positional Objects, *P 23*
- PositionBound, R 187
- PositionCanonical, R 185
- PositionNonZero, R 187
- PositionNot, R 187
- PositionNthOccurrence, R 186
- PositionProperty, R 187
- PositionSet, R 186
- PositionSorted, R 186
- PositionStream, R 99
- PositionSublist, R 188
- Position vs. PositionCanonical, T 49
- PositionWord, R 323
- PositiveIntegers, R 125
- positive number, R 48
- PositiveRoots, R 620
- PositiveRootVectors, R 620
- PossibleClassFusions, R 776
- PossibleFusionsCharTableTom, R 688
- Possible Permutation Characters, *R 760*
- possible permutation characters, R 762
- PossiblePowerMaps, R 770
- power, R 48
 - matrix, R 217
 - meaning for class functions, R 740
 - of words, R 322
- PowerMap, R 769
- PowerMapByComposition, R 772
- PowerMapOp, R 769
- Power Maps, *R 769*
- PowerMapsAllowedBySymmetrizations, R 787
- PowerMod, R 553
- PowerModCoeffs, R 213
- PowerModInt, R 129
- PowerPartition, R 151
- powerset, R 145
- PowerSubalgebraSeries, R 598
- PQuotient, R 460
- precedence, R 48
- precedence test, for permutations, R 396
- PreferredGenerators, N 18
- PrefrattiniSubgroup, R 346
 - for groups with pcgs, R 434

- PreImage, R 297
- PreImageElm, R 296
- PreImages, R 297
- PreImagesElm, R 296
- Preimages in the Free Group, *R 448*
- Preimages in the Free Semigroup, *R 532*
- PreimagesOfTransformation, R 537
- PreImagesRange, R 296
- PreImagesRepresentative, R 297
- PreImagesSet, R 297
- Preimages under Homomorphisms from an FpGroup, *R 459*
- Preimages under Mappings, *R 296*
- preorder, R 304
- PresentationFpGroup, R 464
- PresentationNormalClosure, R 469
- PresentationNormalClosureRrs, R 469
- PresentationSubgroup, R 466
- PresentationSubgroupMtc, R 468
- PresentationSubgroupRrs, R 467
- PresentationViaCosetTable, R 465
- previous result, R 64
- PrevPrimeInt, R 131
- PrimaryGeneratorWords, R 468
- primary subgroup generators, R 482
- PrimeBlocks, R 706
- PrimeBlocksOp, R 706
- PrimeField, R 561
- Prime Integers and Factorization, *R 129*
- PrimePGroup, R 351
- PrimePowersInt, R 132
- prime residue group, R 134
 - exponent, R 134
 - generator, R 136
 - order, R 134
- Prime Residues, *R 134*
- PrimeResidues, function, R 134
- Primes, R 129
- primitive, R 390
- PrimitiveElement, R 561
- PrimitiveGroup, R 509
- Primitive Groups, *R 402*
- PrimitiveGroupsIterator, R 509
- PrimitiveIdentification, R 509
- PrimitiveIndexIrreducibleSolvableGroup, R 511
- Primitive Permutation Groups, *R 508*
- PrimitivePolynomial, R 651
- PrimitiveRoot, R 568
- PrimitiveRootMod, R 136
- primitive root modulo an integer, R 136
- Primitive Roots and Discrete Logarithms, *R 135*
- Primitivity of Characters, *R 791*
- Print, R 65, T 78
- PrintAmbiguity, R 782
- PrintArray, R 221
- PrintCharacterTable, R 714
- PrintFactorsInt, R 131
- PrintFormattingStatus, R 101
- PrintHashWithNames, N 11
- Printing Character Tables, *R 712*
- Printing Class Functions, *R 741*
- Printing Presentations, *R 470*
- Printing Tables of Marks, *R 672*
- PrintObj, R 66
 - for character tables, R 712
 - for tables of marks, R 673
- PrintTo, R 94, T 78
 - for streams, R 100
- problems, R 817
- Problems on Particular Systems, *R 805*
- procedure call, R 50
- Procedure Calls, *R 50*
- procedure call with arguments, R 50
- Process, R 107
- Process, *R 107*
- Producing a Manual, *E 27*
- Product, R 198
- product, of words, R 322
 - rational functions, R 644
- ProductCoeffs, R 213
- ProductSpace, R 598
- ProductX, R 201
- ProfileFunctions, R 82
- ProfileGlobalFunctions, R 82
- ProfileMethods, R 82
- ProfileOperations, R 82
- ProfileOperationsAndMethods, R 82
- PROFILETHRESHOLD, R 82
- Profiling, *R 81*
- ProjectedInducedPcgs, R 428
- ProjectedPcElement, R 428
- Projection, N 19, R 294
 - example for direct products, R 487
 - example for semidirect products, R 489
 - example for subdirect products, R 489

- example for wreath products, R 490
 - for group products, R 491
 - ProjectionMap, R 779
 - projections, find all, R 377
 - ProjectiveActionHomomorphismMatrixGroup, R 415
 - ProjectiveActionOnFullSpace, R 415
 - ProjectiveGeneralLinearGroup, R 497
 - ProjectiveGeneralUnitaryGroup, R 497
 - ProjectiveOrder, R 230
 - ProjectiveSpecialLinearGroup, R 497
 - ProjectiveSpecialUnitaryGroup, R 497
 - ProjectiveSymplecticGroup, R 497
 - prompt, R 64
 - partial, R 64
 - Properties, *R 123*
 - Properties and Attributes for Lists, *R 188*
 - Properties and Attributes of (General) Mappings, *R 294*
 - Properties and Attributes of Binary Relations, *R 303*
 - Properties and Attributes of Matrices, *R 218*
 - Properties and Attributes of Rational Functions, *R 645*
 - Properties and basic functionality, *R 269*
 - Properties and Filters, *T 73*
 - Properties of a Lie Algebra, *R 618*
 - Properties of rewriting systems, *R 333*
 - Properties of Rings, *R 548*
 - Properties of Tables of Marks, *R 678*
 - PRump, R 347
 - PseudoRandom, R 265
 - PSL, R 497
 - PSP, R 497
 - PSp, R 497
 - PSU, R 497
 - PthPowerImage, R 624
 - PthPowerImages, R 623
 - Pure p-adic Numbers, *R 662*
 - PurePadicNumberFamily, R 662
 - PushOptions, R 87
- Q**
- Quadratic, R 160
 - quadratic residue, R 137
 - QuaternionAlgebra, R 593
 - QUIT, emergency quit, R 73
 - quit, in emergency, R 72
 - quit, R 67, T 18
 - QUITTING, R 73
 - QuoInt, R 127
 - Quotient, R 544
 - quotient, for finitely presented groups, R 447
 - matrices, R 217
 - matrix and matrix list, R 218
 - matrix and scalar, R 217
 - of free monoid, R 533
 - of free semigroup, R 531
 - of words, R 322
 - rational functions, R 644
 - scalar and matrix, R 217
 - scalar and matrix list, R 217
 - vector and matrix, R 217
 - QuotientFromSCTable, R 592
 - QuotientGroup, N 18
 - QuotientGroupByChainHomomorphicImage, N 21
 - QuotientGroupByHomomorphism, N 15
 - QuotientGroupByImages, N 15
 - QuotientGroupByImagesNC, N 15
 - QuotientGroupHom, N 15
 - Quotient Methods, *R 459*
 - QuotientMod, R 553
 - QuotientPolynomialsExtRep, R 658
 - QuotientRemainder, R 551
 - Quotients, *R 523*
 - Quotients and Remainders, *R 127*
 - QuotientSemigroupCongruence, R 523
 - QuotientSemigroupHomomorphism, R 523
 - QuotientSemigroupPreimage, R 523
 - QuotRemLaurpols, R 652
- R**
- R, Representation mark-up, E 17
 - r_N , R 158
 - RadicalGroup, R 347
 - RadicalOfAlgebra, R 601
 - Random, R 264
 - for integers, R 127
 - for rationals, R 142
 - RandomBinaryRelationOnPoints, R 305
 - random element, of a list or collection, R 264
 - Random Elements, *R 264*
 - RandomHashKey, N 11
 - RandomInvertibleMat, T 78
 - RandomInvertibleMat, R 221
 - RandomIsomorphismTest, R 445
 - Random Isomorphism Testing, *R 445*

- Randomized Methods for Permutation Groups, *R 404*
- RandomList, *R 266*
- RandomMat, *R 221*
- Random Matrices, *R 221*
- RandomSchreierSims, *N 21*
- random seed, *R 266*
- RandomTransformation, *R 536*
- RandomUnimodularMat, *R 221*
- Range, *N 15, R 295*
- range, *R 201*
- Ranges, *R 201, T 32*
- RankAction, *R 389*
- RankFilter, *R 116*
- RankMat, *R 222*
- RankOfTransformation, *R 537*
- RankPGroup, *R 351*
- Rat, *R 142*
 - for strings, *R 247*
- RationalClass, *R 344*
- RationalClasses, *R 344*
- RationalFunctionByExtRep, *R 657*
- RationalFunctionByExtRepWithCancellation, *R 658*
- Rational Function Families, *R 655*
- RationalFunctionsFamily, *R 655*
- RationalizedMat, *R 161*
- Rationals, *R 141*
- RClassOfHClass, *R 524*
- Read, *R 93*
 - for streams, *R 97*
- read.g, for a GAP package, *E 40*
- ReadAll, *R 99*
- ReadAllLine, *R 104*
- ReadAsFunction, *R 93*
 - for streams, *R 98*
- ReadByte, *R 98*
- read eval print loop, *R 64*
- read evaluate print loop, *T 19*
- ReadLine, *R 98*
- README, for a GAP package, *E 42*
- ReadPkg, *R 823*
- ReadTest, *R 84*
 - for streams, *R 98*
- RealClasses, *R 704*
- RealizableBrauerCharacters, *R 767*
- RecFields, *T 78*
- RecNames, *R 251*
- Recognizing Characters, *R 244*
- record, component access, *R 251*
 - component assignment, *R 252*
 - component variable, *R 252*
 - component variable assignment, *R 253*
- Record Access Operations, *R 255*
- Record Assignment, *R 252*
- record assignment, operation, *R 256*
- record boundness test, operation, *R 256*
- record component, operation, *R 256*
- record unbind, operation, *R 256*
- Recovery from NoMethodFound-Errors, *R 77*
- Recursion, *T 42*
- recursion, *R 55*
- Redispatching, *P 14*
- RedispatchOnCondition, *P 14*
- redisplay a help section, *R 24*
- redisplay with next help viewer, *R 24*
- ReduceCoeffs, *R 213*
- ReduceCoeffsMod, *R 213*
- ReducedAdditiveInverse, *R 333*
- ReducedCharacters, *R 750*
- ReducedClassFunctions, *R 750*
- ReducedComm, *R 333*
- ReducedConfluentRewritingSystem, *R 533*
- ReducedConjugate, *R 333*
- ReducedDifference, *R 333*
- ReducedForm, *R 332*
- ReducedInverse, *R 333*
- ReducedLeftQuotient, *R 333*
- ReducedOne, *R 333*
- ReducedPcElement, *R 423*
- ReducedPower, *R 333*
- ReducedProduct, *R 333*
- ReducedQuotient, *R 333*
- ReducedScalarProduct, *R 333*
- ReducedSum, *R 333*
- ReducedZero, *R 333*
- ReduceRules, *R 333*
- ReduceStabChain, *R 410*
- Reducing Virtual Characters, *R 750*
- Ree, *R 494*
- ReeGroup, *R 494*
- ReesCongruenceOfSemigroupIdeal, *R 522*
- ReesMatrixSemigroup, *R 525*
- ReesMatrixSemigroupElement, *R 525*
- Rees Matrix Semigroups, *R 525*
- ReesZeroMatrixSemigroup, *R 525*

- ReesZeroMatrixSemigroupElement, R 525
- ReesZeroMatrixSemigroupElementIsZero, R 526
- reference to a label, E 16
- RefinedPcGroup, R 440
- ReflectionMat, R 221
- ReflexiveClosureBinaryRelation, R 305
- reflexive relation, R 303
- regular, R 390
- regular action, R 386
- RegularActionHomomorphism, R 387
- relations, R 292
- Relations Between Domains, *R 285*
- RelationsOfFpSemigroup, R 532
- RelativeBasis, R 577
- RelativeBasisNC, R 577
- relatively prime, R 48
- RelativeOrderOfPcElement, R 422
- RelativeOrders, of a pcgs, R 422
- Relators in a Presentation, *R 469*
- RelatorsOfFpGroup, R 448
- remainder, operation, R 285
- remainder of a quotient, R 128
- RemInt, R 128
- remove, an element from a set, R 192
- RemoveFile, R 94
- RemoveOuterCoeffs, R 212
- RemoveRelator, R 472
- RemoveSet, R 192
- RemoveStabChain, R 410
- Repeat, *R 52*
- repeat loop, R 52
- ReplacedString, R 246
- Representation, *R 119*
- representation, as a sum of two squares, R 139
- Representations for Associative Words, *R 325*
- Representations for Group Homomorphisms, *R 378*
- Representations of Algebras, *R 606*
- RepresentationsOfObject, R 119
- Representative, R 262
- representative, of a list or collection, R 262
- RepresentativeAction, R 385
- RepresentativeLinearOperation, R 606
- RepresentativeOperation, R 394
- RepresentativesContainedRightCosets, R 342
- RepresentativesFusions, R 777
- RepresentativeSmallest, R 262
- RepresentativesMinimalBlocks, R 391
- RepresentativesPerfectSubgroups, R 359
- RepresentativesPowerMaps, R 772
- RepresentativesSimpleSubgroups, R 359
- RepresentativeTom, R 687
- RepresentativeTomByGenerators, R 687
- RepresentativeTomByGeneratorsNC, R 687
- Requesting one GAP Package from within Another, *E 40*
- RequirePackage, R 821
- Reread, R 95
- REREADING, R 95
- RereadPkg, E 37
- ResetFilterObj, P 19
- ResetOptionsStack, R 87
- residue, quadratic, R 136
- Residue Class Rings, *R 132*
- RespectsAddition, R 299
- RespectsAdditiveInverses, R 299
- RespectsInverses, R 299
- RespectsMultiplication, R 298
- RespectsOne, R 299
- RespectsScalarMultiplication, R 300
- RespectsZero, R 300
- RestoreStateRandom, R 265
- Restricted and Induced Class Functions, *R 748*
- RestrictedClassFunction, R 748
- RestrictedClassFunctions, R 749
- Restricted Lie algebras, *R 623*
- RestrictedMapping, R 294
- RestrictedPartitions, R 150
- RestrictedPerm, R 398
- RestrictedTransformation, R 537
- Resultant, R 649
- ResultOfStraightLineProgram, R 328
- Return, *R 58*
- return, R 68
 - no value, R 58
 - with value, R 58
- ReturnFail, R 62
- ReturnFalse, R 62
- return from break loop, R 68
- ReturnTrue, R 62
- Reversed, R 194
- RewindStream, R 99
- RewriteWord, R 454
- Rewriting Systems and the Knuth-Bendix Procedure, *R 533*
- RightActingAlgebra, R 608
- RightActingRingOfIdeal, R 547

- RightAlgebraModule, R 607
- RightAlgebraModuleByGenerators, R 606
- RightCoset, R 340
- RightCosets, R 340
- right cosets, R 340
- RightCosetsNC, R 340
- RightDerivations, R 615
- RightIdeal, R 545
- RightIdealByGenerators, R 546
- RightIdealNC, R 546
- RightModuleByHomomorphismToMatAlg, R 610
- RightShiftRowVector, R 212
- RightTransversal, R 341
- right transversal, T 48
- Ring, R 543
- RingByGenerators, R 544
- Ring Homomorphisms, R 301
- Rings With One, R 547
- RingWithOne, R 547
- RingWithOneByGenerators, R 547
- RNameObj, R 256
- root, of 1 modulo an integer, R 138
 - of an integer, R 127
 - of an integer, smallest, R 127
 - of an integer modulo another, R 137
- RootInt, R 127
- RootMod, R 137
- RootOfDefiningPolynomial, R 561
- RootsMod, R 137
- Roots Modulo Integers, R 136
- roots of unity, R 153
- RootsOfUPol, R 648
- RootsUnityMod, R 137
- RootSystem, R 620
- RoundCyc, R 155
- Row and Matrix Spaces, R 581
- RowIndexOfReesMatrixSemigroupElement, R 526
- RowIndexOfReesZeroMatrixSemigroupElement, R 526
- row spaces, R 581
- Row Vectors over Finite Fields, R 210
- RS/6000, R 800
- Rules, R 332
- Running GAP under MacOS, R 31
- Runtime, R 81
- S**
- s_N , R 158
- SameBlock, R 707
- SandwichMatrixOfReesMatrixSemigroup, R 526
- SandwichMatrixOfReesZeroMatrixSemigroup, R 526
- save, R 37
- SaveOnExitFile, R 73
- SaveWorkspace, R 37
- Saving and Loading a Workspace, R 37
- Saving a Pc Group, R 441
- saving on exit, R 72
- ScalarProduct, for characters, R 745
- ScanMOC, R 732
- Schreier, R 466
- Schreier-Sims, random, R 404
- SchreierTransversal, N 17
- SchreierTreeDepth, N 18
- SchurCover, R 365
- Schur Covers and Multipliers, R 365
- Schur multiplier, R 366
- scope, R 42
- ScriptFromString, R 683
- Searching for Homomorphisms, R 376
- SecHMSM, R 249
- secondary subgroup generators, R 482
- SecondsDMYhms, R 249
- SeekPositionStream, R 100
- Selecting a Different MeatAxe, R 665
- Selection Functions, R 499
- SemidirectProduct, R 488
- Semidirect Products, R 487
- SemiEchelonBasis, R 583
- SemiEchelonBasisNC, R 583
- SemiEchelonMat, R 224
- SemiEchelonMatDestructive, R 224
- SemiEchelonMats, R 225
- SemiEchelonMatsDestructive, R 225
- SemiEchelonMatTransformation, R 224
- Semigroup, R 520
- semigroup, R 520
- SemigroupByGenerators, R 520
- SemigroupByMultiplicationTable, R 521
- SemigroupIdealByGenerators, R 522
- SemigroupOfRewritingSystem, R 534
- semiregular, R 389
- Semisimple Lie Algebras and Root Systems, R 619
- SemiSimpleType, R 619
- sequence, Bernoulli, R 144
 - Fibonacci, R 151

- Lucas, R 152
- Series of Ideals, *R 617*
- Set, R 259
- SetAssertionLevel, R 81
- SetCommutator, R 439
- SetConjugate, R 439
- SetCrystGroupDefaultAction, R 419
- set difference, of collections, R 264
- SetElmWPObj, E 54
- SetEntrySCTable, R 591
- SetFilterObj, P 19
- SetHashEntry, N 13
- SetHashEntryAtLastIndex, N 13
- SetHelpViewer, R 25
- SetIndeterminateName, R 643
- SetInfoLevel, R 80
- SetName, R 114
- Set Operations via Boolean Lists, *R 205*
- SetParent, R 279
- SetPower, R 439
- SetPrintFormattingStatus, R 101
- SetRecursionTrapInterval, R 85
- Sets, *R 109, T 31*
- sets, R 168
- Sets of Subgroups, *R 356*
- set stabilizer, R 384
- Setter, R 121
- setter, R 120
 - of an attribute, T 72
- Setter and Tester for Attributes, *R 120*
- SetX, R 200
- ShallowCopy, R 113, T 80
 - for lists, R 175
- ShiftedCoeffs, R 213
- ShiftedPadicNumber, R 662
- Shifting and Trimming Coefficient Lists, *R 211*
- ShortestVectors, R 239
- ShortLexOrdering, R 272
- short vectors spanning a lattice, R 751
- ShowArgument, R 77
- ShowArguments, R 77
- ShowDetails, R 77
- ShowImpliedFilters, R 117
- ShowMethods, R 77
- ShowOtherMethods, R 78
- ShrinkCoeffs, R 214
- ShrinkRowVector, R 212
- Sift, for chains of subgroups, N 20
- SiftedPcElement, R 423
- SiftedPermutation, R 409
- SiftedVector, R 584
- SiftOneLevel, for chains of subgroups, N 20
 - for subgroup transversals, N 17
- Sigma, R 138
- sign, of an integer, R 126
- Sign and Cycle Structure, *R 398*
- SignInt, R 126
- SignPartition, R 150
- SignPerm, R 398
- SimpleLieAlgebra, R 615
- SimpleSystem, R 620
- SimplifiedFpGroup, R 466
- SimplifiedFpGroup, *R 466*
- SimplifyPresentation, R 473
- SimsNo, R 510
- SimultaneousEigenvalues, R 230
- SingleCollector, R 439
- singlequote character, R 242
- singlequotes, R 240
- Size, R 262
 - for character tables, R 701
 - for groups with pcgs, R 434
- size, of a list or collection, R 262
- SizeBlist, R 205
- SizeConsiderFunction, R 362
- SizeNumbersPerfectGroups, R 505
- SizeOfChainOfGroup, N 20
- SizeOfFieldOfDefinition, R 767
- SizesCentralizers, R 702
- SizesConjugacyClasses, R 702
- SizeScreen, R 75
- SizeScreen, *R 75*
- SizesPerfectGroups, R 504
- SizeStabChain, R 409
- SL, R 495
- smaller, associative words, R 322
 - elements of finitely presented groups, R 447
 - nonassociative words, R 315
 - pcwords, R 437
 - rational functions, R 644
- SmallerDegreePermutationRepresentation, R 401
- smaller or equal, R 47
- smaller test, R 47
- SmallestGeneratorPerm, R 397
- SmallestMovedPoint, R 397

- SmallestRootInt, R 127
- SmallGeneratingSet, R 363
- SmallGroup, R 502
- Small Groups, *R 501*
- SmallGroupsInformation, R 502
- Smash MeatAxe Flags, *R 669*
- SmithNormalFormIntegerMat, R 233
- SmithNormalFormIntegerMatInverseTransforms, R 233
- SmithNormalFormIntegerMatTransforms, R 233
- SMTX.AbsoluteIrreducibilityTest, R 668
- SMTX.AlgEl, R 669
- SMTX.AlgElCharPol, R 669
- SMTX.AlgElCharPolFac, R 669
- SMTX.AlgElMat, R 669
- SMTX.AlgElNullspaceDimension, R 669
- SMTX.AlgElNullspaceVec, R 669
- SMTX.CentMat, R 669
- SMTX.CentMatMinPoly, R 669
- SMTX.CompleteBasis, R 669
- SMTX.Getter, R 668
- SMTX.GoodElementGModule, R 668
- SMTX.IrreducibilityTest, R 668
- SMTX.MatrixSum, R 669
- SMTX.MinimalSubGModule, R 669
- SMTX.MinimalSubGModules, R 668
- SMTX.RandomIrreducibleSubGModule, R 668
- SMTX.Setter, R 668
- SMTX.SortHomGModule, R 668
- SMTX.Subbasis, R 669
- SNFChouCollins, R 232
- SNFLLLDriven, R 232
- SNFNormDriven, R 232
- SNFofREF, R 233
- SO, R 496
- Socle, R 347
- SocleTypePrimitiveGroup, R 402
- Solaris, R 800
- SolutionMat, R 223
- SolutionMatDestructive, R 223
- Some Remarks about Character Theory in GAP, *R 691*
- Some Special Algebras, *R 593*
- Something, T 69
- Sort, R 189
- SortedCharacters, R 724
- SortedCharacterTable, R 725
- Sorted Character Tables, *R 724*
- SortedList, R 259
- sorted list, R 188
- Sorted Lists and Sets, *R 190*
- sorted lists as collections, R 258
- SortedSparseActionHomomorphism, R 387
- SortedTom, R 674
- Sortex, R 190
- Sorting Lists, *R 189*
- SortingPerm, R 190
- Sorting Tables of Marks, *R 674*
- SortParallel, R 189
- Source, N 15, R 295
- SourceElt, N 15
- SP, R 496
- Sp, R 496
- space, R 40
- SparseActionHomomorphism, R 387
- SparseCartanMatrix, R 621
- SparseHashTable, N 12
- Sparse hash tables, *N 12*
- SparseIntKey, N 12
- Special Characters, *R 242*
- special character sequences, R 242
- Special Filenames, *R 91*
- Special Generating Sets, *R 362*
- SpecialLinearGroup, R 495
- SpecialOrthogonalGroup, R 496
- Special Pcgs, *R 430*
- SpecialPcgs, attribute, R 431
- SpecialUnitaryGroup, R 496
- Specific and Parametrized Subgroups, *R 345*
- Specific Methods for Subgroup Lattice Computations, *R 360*
- SplitCharacters, R 719
- SplitExtension, R 442
- SplitExtensions, R 443
- SplitString, R 245
- SplittingField, R 647
- Sqrt, R 285
- square root, of an integer, R 127
- SquareRoots, R 312
- SSortedList, R 259
- StabChain, R 405
- StabChainBaseStrongGenerators, R 407
- StabChainImmutable, R 405
- StabChainMutable, R 405
- StabChainOp, R 405
- StabChainOptions, R 407

- Stabiliser chain subgroups, *N 21*
- Stabilizer, *R 384*
- Stabilizer Chain Records, *R 407*
- Stabilizer Chains, *R 403*
- Stabilizer Chains for Automorphisms Acting on Enumerators, *E 63*
- StabilizerOfExternalSet, *R 393*
- StabilizerPcgs, *R 433*
- Stabilizers, *R 384*
- Standalone Programs in a GAP Package, *E 38*
- StandardAssociate, *R 550*
- StandardGeneratorsFunctions, *R 684*
- StandardGeneratorsInfo, for groups, *R 682*
for tables of marks, *R 687*
- StandardGeneratorsOfGroup, *R 684*
- Standard Generators of Groups, *R 682*
- Standardization of coset tables, *R 452*
- StandardizeTable, *R 453*
- StarCyc, *R 160*
- Starting and Leaving GAP, *T 18*
- starting GAP, *T 18*
- Statements, *R 49*
- StateRandom, *R 265*
- Stirling1, *R 144*
- Stirling2, *R 144*
- Stirling number of the first kind, *R 144*
- Stirling number of the second kind, *R 145*
- StoreFusion, *R 775*
- Storing Normal Subgroup Information, *R 732*
- StraightLineProgElm, *R 331*
- StraightLineProgGens, *R 331*
- StraightLineProgram, *R 327*
- Straight Line Program Elements, *R 330*
- StraightLineProgramNC, *R 327*
- Straight Line Programs, *R 327*
- StraightLineProgramsTom, *R 686*
- StratMeetPartition, *E 61*
- StreamsFamily, *R 97*
- StretchImportantSLPElement, *R 331*
- strictly sorted list, *R 189*
- String, *R 245*
for cyclotomics, *R 154*
- StringDate, *R 249*
- StringOfResultOfStraightLineProgram, *R 329*
- StringPP, *R 245*
- strings, *T 28*
equality of, *R 244*
inequality of, *R 244*
lexicographic ordering of, *R 244*
- String Streams, *R 103*
- StringTime, *R 249*
- StrongGeneratorsStabChain, *R 409*
- StrongGens, *N 21*
- StronglyConnectedComponents, *R 305*
- Struct, *R 276*
- StructByGenerators, *R 277*
- StructuralCopy, *R 113, T 80*
for lists, *R 176*
- structure constant, *R 712*
- StructureConstantsTable, *R 579*
- StructWithGenerators, *R 277*
- SU, *R 496*
- Subalgebra, *R 594*
- SubAlgebraModule, *R 609*
- SubalgebraNC, *R 594*
- Subalgebras, *R 594*
- SubalgebraWithOne, *R 594*
- SubalgebraWithOneNC, *R 595*
- SubdirectProduct, *R 489*
- Subdirect Products, *R 489*
- Subdomains, *T 70*
- subdomains, *R 280*
- Subfield, *R 560*
- SubfieldNC, *R 560*
- Subfields, *R 561*
- Subfields of Fields, *R 560*
- Subgroup, *R 337*
- SubgroupByPcgs, *R 426*
- subgroup fusions, *R 773*
- subgroup generators tree, *R 482*
- Subgroup Lattice, *R 358*
- SubgroupNC, *R 337*
- SubgroupOfWholeGroupByCosetTable, *R 454*
- SubgroupOfWholeGroupByQuotientSubgroup, *R 459*
- Subgroup Presentations, *R 466*
- SubgroupProperty, *R 411*
- Subgroups, Subgroups, as Stabilizers, *T 50*
- Subgroups, *R 336*
subgroups, polyhedral, *R 711*
- Subgroups characterized by prime powers, *R 349*
- Subgroup Series, *R 352*
- Subgroups of Polycyclic Groups - Canonical Pcgs, *R 426*
- Subgroups of Polycyclic Groups - Induced Pcgs, *R 424*

- SubgroupsSolvableGroup, R 361
- sublist, R 170
 - access, R 170
 - assignment, R 172
 - operation, R 171
- sublist assignment, operation, R 173
- Submagma, R 309
- SubmagmaNC, R 309
- SubmagmaWithInverses, R 309
- SubmagmaWithInversesNC, R 309
- SubmagmaWithOne, R 309
- SubmagmaWithOneNC, R 309
- Submodule, R 556
- SubmoduleNC, R 556
- Submodules, *R 556*
- Submonoid, R 527
- SubmonoidNC, R 527
- SubnearAdditiveGroup, R 541
- SubnearAdditiveGroupNC, R 541
- SubnearAdditiveMagma, R 540
- SubnearAdditiveMagmaNC, R 540
- SubnearAdditiveMagmaWithZero, R 540
- SubnearAdditiveMagmaWithZeroNC, R 540
- SubnormalSeries, R 353
- Subring, R 544
- SubringNC, R 544
- SubringWithOne, R 548
- SubringWithOneNC, R 548
- Subroutines for the Construction of Class Fusions, *R 787*
- Subroutines for the Construction of Power Maps, *R 785*
- subsection mark-up, E 17
- Subsemigroup, R 520
- SubsemigroupNC, R 520
- subsets, R 145
- subset test, for collections, R 263
- Subsomething, T 70
- SubsomethingNC, T 70
- Subspace, R 573
- SubspaceNC, R 573
- Subspaces, R 574
- SubstitutedWord, R 324
- SubsTom, R 675
- Substruct, R 280
- SubstructNC, R 280
- SubSyllables, R 325
- subtract, a set from another, R 192
- SubtractBlist, R 206
- subtraction, R 48
 - matrices, R 216
 - matrix and scalar, R 216
 - rational functions, R 644
 - scalar and matrix, R 216
 - scalar and matrix list, R 217
 - scalar and vector, R 209
 - vector and scalar, R 209
 - vectors, R 209
- SubtractSet, R 192
- Subword, R 323
- Successors, R 304
- Suitability for Compilation, *R 36*
- Sum, R 199
- Sum and Intersection of Pcgs, *R 430*
- SumFactorizationFunctionPcgs, R 430
- SumIntersectionMat, R 225
- SumX, R 200
- SupersolvableResiduum, R 347
- superuser, R 820
- SupportedCharacterTableInfo, R 694
- Suppressing Indexing and Labelling of a Section and Resolving Label Clashes, *E 16*
- SurjectiveActionHomomorphismAttr, R 394
- SuzukiGroup, R 494
- SylowComplement, R 348
- SylowSubgroup, R 347
- Sylow Subgroups and Hall Subgroups, *R 347*
- SylowSystem, R 348
- Symbols, *R 40*
- Symmetric and Alternating Groups, *R 401*
- SymmetricClosureBinaryRelation, R 305
- SymmetricGroup, R 494
- symmetric group, powermap, R 151
- SymmetricParentGroup, R 402
- SymmetricParts, R 757
- SymmetricPowerOfAlgebraModule, R 634
- symmetric relation, R 303
- Symmetrizations, R 756
- symmetrizations, orthogonal, R 757
 - symplectic, R 758
- Symmetrizations of Class Functions, *R 756*
- SymplecticComponents, R 758
- SymplecticGroup, R 496
- syntax errors, R 64
- system getter, R 120
- system setter, R 120

- System V, R 800
- SysV, R 800
- Sz, R 494
- T**
- t_N , R 158
- TableAutomorphisms, R 727
- table automorphisms, R 788
- TableHasIntKeyFun, N 12
- table of chapters for help books, R 24
- TableOfMarks, R 671
- TableOfMarksByLattice, R 672
- TableOfMarksComponents, R 675
- TableOfMarksCyclic, R 689
- TableOfMarksDihedral, R 689
- TableOfMarksFamily, R 675
- TableOfMarksFrobenius, R 689
- Table of Marks Objects in GAP, R 670
- table of sections for help books, R 24
- tables, E 24, R 692
- Tables, Displayed Mathematics and Mathematics Alignments, E 24
- tabulator, R 40
- Tau, R 138
- Technical Details about Tables of Marks, R 675
- Technical Details about the Implementation of Magma Rings, R 640
- Technical Matters Concerning General Mappings, R 301
- TemporaryGlobalVarName, R 45
- Tensored, R 748
- TensorProductOfAlgebraModules, R 633
- Tensor Products and Exterior and Symmetric Powers, R 633
- test, for a primitive root, R 136
 - for a rational, R 141
 - for records, R 251
 - for set equality, R 191
- TestConsistencyMaps, R 782
- Tester, R 120
- tester, R 120
 - of an attribute, T 72
- Test Files, R 84
- Test for the Existence of GAP Package Binaries, E 39
- TestHomogeneous, R 791
- TestInducedFromNormalSubgroup, R 793
- Testing Finiteness of Finitely Presented Groups, R 462
- Testing for a GAP Package, E 41
- Testing for the System Architecture, R 814
- Testing Monomiality, R 793
- Testing the Examples, E 25
- TestJacobi, R 591
- TestMonomial, R 793
- TestMonomialQuick, R 794
- TestMonomialUseLattice, R 794
- TestPackageAvailability, R 823
- TestPerm1, R 764
- TestPerm2, R 764
- TestPerm3, R 764
- TestPerm4, R 764
- TestPerm5, R 764
- TestQuasiPrimitive, R 792
- TestRelativelySM, R 795
- Tests for Actions, R 389
- Tests for the Availability of Methods, R 366
- TestSubnormallyMonomial, R 795
- TeX Macros, E 17
- TeX Macros for Domains, E 21
- The .gaprc file, R 34
- The Adjoint Representation, R 624
- The Compiler, R 35
- The Defining Attributes of Rational Functions, R 656
- The Dixon-Schneider Algorithm, R 717
- The Documentation, R 815
- The External Representation for Associative Words, R 326
- The family pcgs, R 436
- The GAP System, T 11
- The GASMAN Interface for Weak Pointer Objects, E 55
- The General Backtrack Algorithm with Ordered Partitions, E 57
- The Help Book Handler, E 45
- The Info Mechanism, T 85
- The Init File of a GAP Package, E 36
- The Interface between Character Tables and Groups, R 696
- The Interface between Tables of Marks and Character Tables, R 688
- The Library of Tables of Marks, R 690
- The Main File, E 12
- The manual.six File, E 44

- then, R 51
- The Natural Action, R 400
- The Pager Command, R 26
- The Permutation Image of an Action, R 386
- The Representations of Rational Functions, R 655
- The Smash MeatAxe, R 668
- The Structure of a GAP Package, E 36
- The Syntax in BNF, R 58
- ThreeGroup library, R 501
- Tietze Options, R 485
- Tietze Transformations, R 472
- Tietze Transformations that introduce new Generators, R 476
- TietzeWordAbstractWord, R 470
- time, R 81
- Timing, R 81
- Todd-Coxeter Procedure, R 535
- Trace, R 218
 - for field elements, R 562
 - of a matrix, R 218
- TracedCosetFpGroup, R 450
- TraceImmediateMethods, R 79
- TraceMat, R 218
- TraceMethods, R 79, T 75
- TracePolynomial, R 562
- Tracing generator images through Tietze transformations, R 480
- Tracing Methods, R 79
- TransferDiagram, R 781
- Transformation, R 536
- TransformationData, R 536
- TransformationFamily, R 536
- TransformationNC, R 536
- TransformationRelation, R 538
- TransformationType, R 536
- TransformingPermutations, R 727
- TransformingPermutationsCharacterTables, R 727
- transitive, R 389
- TransitiveClosureBinaryRelation, R 305
- TransitiveGroup, R 500
- TransitiveIdentification, R 500
- Transitive Permutation Groups, R 500
- transitive relation, R 303
- Transitivity, for characters, R 747
 - for class functions, R 747
 - for group actions, R 389
- transporter, R 385
- TransposedMat, R 220
- TransposedMatAttr, R 220
- TransposedMatDestructive, R 220
- TransposedMatImmutable, R 220
- TransposedMatMutable, R 220
- TransposedMatOp, R 220
- TransposedMatrixGroup, R 414
- Transversal, N 20
- TransversalBySiftFunction, N 19
- TransversalByTrivial, N 19
- TransversalElt, N 17
- TransversalOfChainSubgroup, N 21
- Transversals, R 341
 - Transversals by direct products, N 19
 - Transversals by homomorphic images, N 18
 - Transversals by Schreier tree, N 17
 - Transversals by sift functions, N 19
 - Transversals by Trivial subgroups, N 19
- Triangular Matrices, R 226
- TriangulizedIntegerMat, R 234
- TriangulizedIntegerMatInverseTransform, R 234
- TriangulizedIntegerMatTransform, R 234
- TriangulizedNullspaceMat, R 222
- TriangulizedNullspaceMatDestructive, R 222
- TriangulizeIntegerMat, R 233
- TriangulizeMat, R 222
- Trivial chain subgroups and sift function chain subgroups, N 22
- TrivialCharacter, R 743
- TrivialGroup, R 492
- TrivialIterator, R 267
- TrivialSubalgebra, R 595
- TrivialSubgroup, R 345
- TrivialSubmagmaWithOne, R 312
- TrivialSubmodule, R 556
- TrivialSubmonoid, R 527
- TrivialSubnearAdditiveMagmaWithZero, R 541
- TrivialSubspace, R 574
- TryConwayPolynomialForFrobeniusCharacterValue, R 767
- TryCosetTableInWholeGroup, R 453
- TryGcdCancelExtRepPolynomials, R 658
- TryNextMethod, P 13, T 74
- Tuples, R 147
- tuple stabilizer, R 384
- TwoClosure, R 411
- TwoCoboundaries, R 441

TwoCocycles, R 441
 TwoCohomology, R 441
 TwoGroup library, R 501
 TwoSidedIdeal, R 545
 TwoSidedIdealByGenerators, R 546
 TwoSidedIdealNC, R 546
 TwoSquares, R 139
 type, boolean, R 165
 cyclotomic, R 153
 records, R 251
 strings, R 240
 TypeObj, R 124
 TypeOfDefaultGeneralMapping, R 302
 Types, *R 124*
 TzEliminate, R 475
 TzFindCyclicJoins, R 476
 TzGo, R 472
 TzGoGo, R 474
 TzImagesOldGens, R 480
 TzInitGeneratorImages, R 480
 TzNewGenerator, R 472
 TzOptions, R 485
 TzPreImagesNewGens, R 481
 TzPrint, R 471
 TzPrintGeneratorImages, R 481
 TzPrintGenerators, R 470
 TzPrintLengths, R 471
 TzPrintOptions, R 486
 TzPrintPairs, R 471
 TzPrintPresentation, R 471
 TzPrintRelators, R 470
 TzPrintStatus, R 471
 TzSearch, R 475
 TzSearchEqual, R 476
 TzSort, R 464
 TzSubstitute, R 477
 TzSubstituteCyclicJoins, R 480

U

u_N , R 158
 UglyVector, R 586
 ULTRIX, R 800
 Umlauts, *E 27*
 Unbind, R 43
 for lists, R 174
 UnbindElmWPObj, *E 54*
 UnbindGlobal, R 45
 UnderlyingCharacteristic, R 702

UnderlyingCharacterTable, R 737
 UnderlyingElement, fp group elements, R 448
 fp semigroup elements, R 532
 UnderlyingElementOfReesMatrixSemigroup-
 Element, R 526
 UnderlyingElementOfReesZeroMatrixSemigroup-
 Element, R 526
 UnderlyingExternalSet, R 394
 UnderlyingFamily, R 614
 UnderlyingGeneralMapping, R 295
 UnderlyingGroup, for character tables, R 696
 for tables of marks, R 677
 UnderlyingLeftModule, R 577
 UnderlyingLieAlgebra, R 620
 UnderlyingMagma, R 637
 UnderlyingRelation, R 295
 Undocumented Variables, *E 34*
 UnInstallCharReadHookFunc, R 105
 Union, R 263
 union, of collections, R 264
 of sets, R 192
 Union2, R 263
 UnionBlist, R 205
 Unique, R 193
 UniteBlist, R 206
 UniteBlistList, R 206
 UniteSet, R 192
 Units, R 549
 Units and Factorizations, *R 549*
 UnivariatenessTestRationalFunction, R 648
 UnivariatePolynomial, R 647
 UnivariatePolynomialByCoefficients, R 647
 UnivariatePolynomialRing, R 654
 Univariate Polynomial Rings, *R 654*
 Univariate Polynomials, *R 647*
 UnivariateRationalFunctionByCoefficients,
 R 652
 Univariate Rational Functions, *R 652*
 UniversalEnvelopingAlgebra, R 626
 Universal Enveloping Algebras, *R 626*
 UNIX, features, R 28
 installation, R 800
 options, R 28
 UNIXSelect, R 97
 Unknown, R 163
 UnloadSmallGroupsData, R 502
 UnorderedTuples, R 146
 UnprofileFunctions, R 82

- UnprofileMethods, R 82
 - until, R 52
 - UntraceMethods, R 79
 - unzoo, R 797
 - UpdateMap, R 779
 - UpEnv, R 71
 - UpperCentralSeriesOfGroup, R 354
 - UpperSubdiagonal, R 226
 - Usage of the Percent Symbol, *E 25*
 - UseBasis, R 557
 - UseFactorRelation, R 286
 - Useful Categories for all Elements of a Family, *R 289*
 - Useful Categories of Elements, *R 287*
 - UseIsomorphismRelation, R 286
 - User Streams, *R 103*
 - UseSubsetRelation, R 285
 - Using buildman.pe, *E 28*
 - utilities for editing GAP files, R 75
- V**
- V, (global) Variable mark-up, E 17
 - v_N , R 158
 - Valuation, R 662
 - Value, R 649
 - ValueCochain, R 629
 - ValueGlobal, R 44
 - ValueMolienSeries, R 760
 - ValuePol, R 213
 - ValuesOfClassFunction, R 737
 - Variable Access in a Break Loop, *R 71*
 - Variables, *R 42*
 - variables, T 22
 - vectors, row, T 36
 - Vectors and Matrices, *T 36*
 - Vectors as coefficients of polynomials, *R 212*
 - VectorSpace, R 573
 - VectorSpaceByPcgsOfElementaryAbelianGroup, R 432
 - Vector Space Homomorphisms, *R 584*
 - Vector Spaces, *T 59*
 - Vector Spaces Handled By Nice Bases, *R 586*
 - verbatim environments, E 23
 - VERSION, E 41
 - Version Numbers, *E 41*
 - vi, R 75
 - View, R 65
 - View and Print, *R 65*
 - ViewObj, R 66
 - for character tables, R 712
 - for class functions, R 741
 - for tables of marks, R 672
 - vim, R 75
 - VirtualCharacter, R 742
 - virtual character, R 744
 - virtual characters, R 735
- W**
- w_N , R 158
 - WeakPointerObj, E 53
 - WeakPointerObj, *E 53*
 - Weak Pointer Objects, *E 53*
 - web sites, for GAP, T 16
 - WeekDay, R 249
 - WeightLexOrdering, R 272
 - WeightOfGenerators, R 273
 - WeightsTom, R 678
 - WeightVecFFE, R 212
 - WeylGroup, R 621
 - WeylOrbitIterator, R 623
 - Where, R 70, T 85
 - While, *R 51*
 - while loop, R 51
 - whitespace, T 19
 - Whitespaces, *R 40*
 - Why Class Functions?, *R 735*
 - Why Proceed in a Different Way?, *P 43*
 - Windows, R 806
 - installation, R 807
 - WordAlp, R 245
 - words, in generators, R 339
 - Working with large degree permutation groups, *R 412*
 - Wrapping Up a GAP Package, *E 42*
 - WreathProduct, R 490
 - wreath product embedding, R 491
 - WreathProductImprimitiveAction, R 490
 - WreathProductOrdering, R 274
 - WreathProductProductAction, R 491
 - Wreath Products, *R 490*
 - WriteAll, R 100
 - WriteByte, R 100
 - WriteLine, R 100
 - Writing Documentation, *E 42*
 - Writing Functions, *T 40*
 - www, R 798
- X**

X, T 78

x_N , R 158

Y

y_N , R 158

Z

Z, R 565

ZClassRepsQClass, R 418

Zero, R 282

ZeroAttr, R 282

ZeroCoefficient, R 638

ZeroCoefficientRatFun, R 657

ZeroImmutable, R 282

ZeroMapping, R 293

ZeroMutable, R 282

ZeroOp, R 282

ZeroSameMutability, R 282

ZeroSM, R 282

ZippedProduct, R 658

ZippedSum, R 658

ZmodnZ, R 132

ZmodnZObj, R 132

ZmodpZ, R 132

ZmodpZNC, R 132

zoo, E 42

ZumbroichBase, R 570

Zuppos, R 360